



The Deluxe Company

Ground Flat Stock & Drill Rod

List Prices

Effective April 2, 2012

(Supersedes price list dated April 4, 2011)

Specials Section (see page 18)

Price List Effective April 2, 2012

Table of Contents

Precision Ground Flat Stock

PRESCO Oil-hardening Ground Flat Stock

AISI/SAE Type O-1 1

NUTEC42® Pre-hardened Ground Flat Stock

AISI Type 4142 Modified 5

SUPER-7 Air-hardening Ground Flat Stock

AISI/SAE Type S-7 7

AIR-TRUE Air-hardening Ground Flat Stock

AISI/SAE Type A-2 8

ARISTOCRAT Air-hardening Ground Flat Stock

AISI/SAE Type D-2 11

MARSHALLCRAT® Low-carbon Ground Flat Stock 13

PREMAR Stainless Knife Steel Ground Flat Stock

AISI/SAE Type 440C 15

PREMAR Stainless Steel Ground Flat Stock

AISI/SAE Type 410 16

RUETOM SPECIAL Stainless Steel Ground Flat Stock - Oversize

AISI/SAE Type 420 17

FIRECHROME Annealed Ground Flat Stock - Oversize)

AISI/SAE Type H-13 17

Specials Production & Altered Standards 18

Table Of Contents (continued)

Drill Rod

WATERCRAT Water-hardening Ground and Polished Drill Rod AISI/SAE Type W-1.....	19
WATERCRAT Water-hardening Cold Drawn Drill Rod AISI/SAE Type W-1	20
OILCRAT Oil-hardening Ground and Polished Drill Rod AISI/SAE Type O-1	21
AIR-TRUE Air-hardening Ground and Polished Drill Rod AISI/SAE Type A-2.....	23
SUPER-7 Air-hardening Ground and Polished Drill Rod AISI/SAE Type S-7	24
ARISTOCRAT Air-hardening Ground and Polished Drill Rod AISI/SAE Type D-2	24
TRM-2 Annealed High-speed Drill Rod AISI/SAE Type M-2	25
FIRECHROME 44 Hardened Ground and Polished Drill Rod AISI/SAE Type H-13.....	25

Regular and Oversize tolerances are specified in this price list.

Ground Flat Tolerances:

Thickness-Regular	±.001"
Thickness-Oversize	+.010/.015"
Thickness-Metric	+.05mm/-.00
Thickness - 72" Nutec 4142	±.002
Width-Regular	+.000/.005"
Width-Oversize	+.010/.015"
Width-Metric*	+.2mm/-.000
Squares-Regular	±.001"
Squares-Oversize	+.010/.015"
Length 18"	+.125/.250"
Length 24"	+.1875/.375"
Length 24" Stainless	+.500/-.000
Length 36"	+.250/.500"
Length 72"	+1.000/-.000
Squareness-Edge	.003" per inch
Squareness-End	.004" per inch

*Widths of more than 50mm are blanchard ground.

Drill Rod Tolerances:

	DIMENSIONAL TOLERANCES		
	Standard Tolerance (section)	Straightness (max T.I.R. in 12")	Standard Tolerance (length)
Round Drill Rod:			
3.000" thru 0.500"	±.0010"	.005"	+1/8"/-.0
0.499" thru 0.125" dia.	±.0005"	.005"	+1/8"/-.0
0.124" and smaller dia.	±.0003"	.005"	+1/8"/-.0
Flat and Square Drill Rod:			
1.000" thru 0.750" (largest dim.)	±.0015"		+1/8"/-.0
0.749" thru 0.250" (largest dim.)	±.001"		+1/8"/-.0
0.249" and smaller	±.0005"		+1/8"/-.0

Note: Closer tolerances than standard can be produced upon inquiry.

Dimensional accuracy is very closely controlled within narrow limits. Precision-Marshall drill rod is guaranteed to the limits shown above. Machines can be set up for working to a certain tolerance with confidence that there will be no variation.

The Precision-Marshall Guarantee of Quality

Precision-Marshall's conformance to specifications is the highest in the industry. Precision-Marshall assumes complete liability for any costs directly relating to a deviation from our published specifications. Any such costs, properly documented, will be reimbursed.

PRESCO Oil-hardening Ground Flat Stock

AISI/SAE TYPE O-1

Regular Tolerance

--- Size ---								--- Size ---								
----- 18" Length -----				----- 36" Length -----				----- 18" Length -----				----- 36" Length -----				
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	
1/64 x	1/2	01410	0.04	130.21	---	---	---	3/32 x	1 1/2	00031	0.73	37.37	00461	1.45	64.98	
	3/4	03475	0.06	135.39	---	---	---		1 3/4	01242	0.85	41.96	01422	1.69	72.99	
	1	02925	0.08	142.23	---	---	---		2	00155	0.97	46.57	01725	1.94	80.98	
	1 1/4	07570	0.10	149.05	---	---	---		2 1/2	01064	1.21	55.81	01730	2.42	97.05	
	1 1/2	04525	0.12	164.15	---	---	---		3	00911	1.45	65.04	02915	2.90	113.14	
	2	04055	0.16	203.92	---	---	---		4	00521	1.93	83.41	02095	3.87	145.05	
	2 1/2	06340	0.20	233.80	---	---	---		5	04990	2.42	101.82	04775	4.84	177.06	
	3	03775	0.24	280.11	---	---	---		6	01440	2.90	120.21	04780	5.80	209.05	
	4	03780	0.32	377.16	---	---	---		8	02665	3.87	179.77	05775	7.74	312.64	
										10	07104	4.83	236.72	03616	9.67	411.69
1/32 x	1/2	00133	0.08	23.62	00136	0.16	41.08	7/64 x	1/2	03790	0.28	22.71	03770	0.57	39.50	
	3/4	00227	0.12	31.90	04770	0.24	55.48		3/4	03220	0.42	28.21	04115	0.85	49.07	
	1	00032	0.16	37.18	01580	0.32	64.65		1	00539	0.57	33.55	01280	1.13	58.36	
	1 1/4	02445	0.20	44.07	00875	0.40	76.65		1 1/4	04530	0.71	38.77	02795	1.41	67.42	
	1 1/2	00386	0.24	50.95	04965	0.48	88.63		1 1/2	04315	0.85	44.24	02855	1.69	76.94	
	2	00161	0.32	64.42	05760	0.65	112.03		2	03380	1.13	55.12	02645	2.26	95.86	
	2 1/2	03155	0.40	78.03	05250	0.81	135.71		2 1/2	02376	1.41	68.98	07108	2.82	119.97	
	3	00953	0.48	92.01	04400	0.97	160.00		3	01525	1.69	76.79	04300	3.38	133.54	
	4	00797	0.65	119.15	03330	1.29	207.22		4	03795	2.26	98.46	04305	4.51	171.24	
	6	00719	0.97	210.42	05520	1.94	365.95		6	03094	3.38	155.39	04099	6.77	270.22	
3/64 x	1/2	00374	0.12	20.73	02535	0.24	36.05	1/8 x	1/8	00093	0.08	40.33	00512	0.16	70.13	
	3/4	00179	0.18	26.71	03270	0.36	46.45		1/4	00552	0.16	14.50	00481	0.33	25.21	
	1	00440	0.24	32.56	06465	0.48	56.61		5/16	00378	0.20	15.82	01078	0.41	27.50	
	1 1/4	01835	0.30	38.22	05765	0.61	66.48		3/8	00540	0.24	16.72	00942	0.49	29.07	
	1 1/2	00341	0.36	44.10	06635	0.73	76.74		1/2	00004	0.32	18.44	00065	0.65	32.06	
	2	00224	0.48	55.87	06295	0.97	97.17		5/8	00058	0.40	20.52	00189	0.81	35.68	
	2 1/2	02740	0.60	67.39	06300	1.21	117.21		3/4	00009	0.48	22.66	00091	0.97	39.39	
	3	00545	0.73	79.10	00572	1.45	137.56		1	00001	0.65	26.80	00022	1.29	46.61	
	3 1/2	05916	0.85	90.80	03581	1.69	157.93		1 1/4	00024	0.81	30.71	00266	1.61	53.40	
	4	01565	0.97	123.95	06830	1.93	215.58		1 1/2	00040	0.97	34.83	00098	1.94	60.61	
6	01745	1.45	148.84	05090	2.90	258.86	1 3/4	00869	1.13	39.02	01465	2.26	67.87			
1/16 x	1/4	00517	0.08	49.03	00615	0.16	85.27	2	00014	1.29	43.15	00151	2.58	75.05		
	3/8	00537	0.12	24.50	51339	0.24	42.60	2 1/2	00185	1.61	51.40	00287	3.22	89.38		
	1/2	00016	0.16	14.62	01350	0.32	25.43	3	00150	1.93	59.72	00311	3.87	103.88		
	5/8	00594	0.20	16.79	00306	0.40	29.19	3 1/2	00722	2.26	68.01	03440	4.51	118.27		
	3/4	00003	0.24	18.46	00119	0.48	32.09	4	00035	2.58	76.29	00254	5.16	132.68		
	1	00010	0.32	22.26	00075	0.65	38.74	5	01380	3.22	92.83	01875	6.44	161.45		
	1 1/4	00104	0.40	25.98	00209	0.81	45.18	6	00163	3.87	109.39	00350	7.73	190.23		
	1 1/2	00174	0.48	29.85	00779	0.97	51.94	7	06345	4.51	144.48	06640	9.02	251.28		
	1 3/4	00452	0.56	33.61	00776	1.13	58.40	8	02760	5.15	163.74	04970	10.31	284.76		
	2	00020	0.64	37.43	00103	1.29	65.10	10	02950	6.44	201.86	06835	12.88	351.07		
2 1/2	00494	0.81	44.98	01230	1.61	78.23	12	05115	7.73	240.19	03520	15.46	417.73			
3	00180	0.97	52.53	02190	1.93	91.36	14	03225	9.02	277.40	03582	18.04	482.44			
3 1/2	04415	1.13	60.28	03960	2.26	104.82	9/64 x	1/2	01760	0.36	22.90	01205	0.73	39.82		
4	00128	1.29	67.69	01825	2.58	117.71		3/4	00707	0.55	26.10	01415	1.09	45.41		
5	03785	1.61	82.92	03895	3.22	144.22		1	01680	0.73	30.91	00950	1.45	53.78		
6	00656	1.93	98.10	01037	3.87	170.62		1 1/4	00495	0.91	37.18	02842	1.81	64.65		
8	02870	2.58	147.07	03900	5.15	255.78		1 1/2	01915	1.09	40.14	04645	2.18	69.80		
10	05260	3.22	181.81	04110	6.44	316.19		2	03275	1.45	49.70	03965	2.90	86.44		
5/64 x	1/2	00665	0.20	19.09	01720	0.40		33.19	3	02370	2.18	68.67	04410	4.35	119.44	
	3/4	00641	0.30	23.64	00200	0.61		41.10	4	03975	2.90	87.64	05095	5.80	152.41	
	1	00704	0.40	28.26	01190	0.81		49.18	5/32 x	5/32	00650	0.13	37.44	03015	0.26	65.11
	1 1/4	01676	0.50	32.76	01026	1.01		56.97		1/4	01864	0.20	56.00	04462	0.41	97.40
	1 1/2	01675	0.60	37.37	03515	1.21	64.98	3/8		02048	0.30	32.51	04247	0.61	56.53	
	2	01370	0.81	46.57	03375	1.61	80.98	1/2		00120	0.40	22.70	00488	0.81	39.47	
	2 1/2	02745	1.01	55.34	05770	2.01	96.23	3/4		00344	0.61	27.82	00536	1.21	48.37	
	3	02225	1.21	64.57	02850	2.42	112.28	1		00389	0.81	32.89	00896	1.61	57.19	
	4	01375	1.61	83.12	03130	3.22	144.55	1 1/4		00404	1.01	37.66	02355	2.02	65.49	
	6	01120	2.42	120.28	04175	4.83	209.18	1 1/2		02875	1.21	42.61	02540	2.42	74.10	
3/32 x	1/4	01266	0.12	61.75	03172	0.24	107.39	1 3/4		05120	1.41	47.68	03525	2.82	82.92	
	3/8	03791	0.18	33.90	01958	0.36	58.96	2		00443	1.61	52.81	02860	3.23	91.83	
	1/2	00063	0.24	19.09	00485	0.49	33.19	2 1/2	04810	2.02	62.78	01860	4.03	109.18		
	3/4	00037	0.36	23.64	01040	0.73	41.10	3	03385	2.42	72.92	06840	4.84	126.82		
	1	00113	0.48	28.26	00317	0.97	49.18	3 1/2	03725	2.82	83.02	05660	5.64	144.40		
	1 1/4	00983	0.61	32.76	04405	1.21	56.97									

PRESCO OIL-HARDENING GROUND FLAT STOCK (Continued)

Regular Tolerance

--- Size ---		---18" Length ---			--- 36" Length ---			--- Size ---		---18" Length ---			--- 36" Length ---				
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price		
5/32	x	4	01840	3.22	93.10	02730	6.45	161.92	9/32	x	3	06120	4.35	92.19	05530	8.70	160.31
		5	04420	4.03	113.32	07065	8.06	197.06			4	04330	5.80	116.47	05780	11.60	202.56
		6	00932	4.83	133.42	04975	9.67	232.03			6	06505	8.70	164.98	04185	17.40	286.90
		8	03445	6.44	198.95	07720	12.89	346.02									
3/16	x	3/16	00095	0.18	36.01	00626	0.37	62.61	5/16	x	5/16	00194	0.51	34.87	00428	1.01	60.63
		1/4	01696	0.24	19.88	01951	0.49	34.57			3/8	02257	0.61	30.37	02436	1.22	52.83
		5/16	01008	0.30	21.54	01045	0.61	37.47			1/2	00138	0.81	32.93	00695	1.62	57.27
		3/8	03331	0.36	22.50	00642	0.73	39.12			5/8	01376	1.01	36.13	01286	2.02	62.83
		1/2	00006	0.49	24.77	00068	0.97	43.08			3/4	00153	1.21	39.26	00335	2.42	68.28
		5/8	00210	0.61	27.82	00501	1.21	48.37			1	00070	1.61	45.62	00141	3.23	79.34
		3/4	00027	0.73	29.68	00101	1.45	51.63			1 1/4	00902	2.02	51.37	00743	4.03	89.33
		1	00021	0.97	34.79	00087	1.94	60.52			1 1/2	00434	2.42	57.75	00608	4.84	100.45
		1 1/4	00060	1.21	39.54	00500	2.42	68.78			1 3/4	02435	2.82	64.02	01515	5.64	111.34
		1 1/2	00106	1.45	44.62	00196	2.90	77.59			2	00067	3.22	70.38	00242	6.45	122.38
		1 3/4	02275	1.69	49.65	01225	3.39	86.36			2 1/2	02040	4.03	83.02	02580	8.06	144.38
		2	00056	1.93	54.77	00192	3.87	95.24			3	01046	4.83	95.60	02425	9.67	166.28
2 1/2	00653	2.42	64.85	01735	4.84	112.77	3 1/2	03280	5.64	108.24	06645	11.28	188.23				
3	00139	2.90	75.04	00830	5.80	130.49	4	00506	6.44	120.90	03640	12.89	210.27				
3 1/2	04320	3.38	85.22	04650	6.77	148.23	5	05545	8.05	145.89	04890	16.11	253.69				
4	00114	3.87	95.23	00557	7.73	165.63	6	01355	9.66	177.72	03140	19.33	309.08				
5	03075	4.83	115.54	03135	9.67	200.93	7	06350	11.28	224.89	06845	22.55	391.08				
6	00323	5.80	135.80	00917	11.60	236.16	8	04195	12.89	254.08	05785	25.77	441.88				
8	03230	7.73	201.93	06475	15.46	351.19	10	01970	16.11	311.90	06850	32.21	542.45				
10	04670	9.66	248.37	06090	19.33	431.95	12	07275	19.33	370.11	05365	38.65	643.68				
12	04815	11.60	295.19	05915	23.19	513.37											
7/32	x	7/32	01445	0.25	34.59	00980	0.50	60.15	3/8	x	3/8	00030	0.73	43.88	00043	1.46	76.30
		1/2	04325	0.57	29.65	04310	1.13	51.56			1/2	00018	0.97	40.14	00048	1.94	69.80
		3/4	00431	0.85	35.71	02270	1.70	62.11			5/8	00684	1.21	44.02	00750	2.42	76.54
		1	01043	1.13	41.80	01905	2.26	72.68			3/4	00044	1.45	47.86	00079	2.91	83.22
		1 1/4	03800	1.41	47.48	01950	2.82	82.60			1	00019	1.94	55.44	00017	3.87	96.42
		1 1/2	03805	1.69	53.53	03720	3.39	93.09			1 1/4	00126	2.42	62.44	00169	4.84	108.58
		2	01385	2.26	65.64	02360	4.52	114.13			1 1/2	00123	2.90	70.08	00148	5.81	121.88
		2 1/2	01989	2.82	78.31	01931	5.64	136.21			1 3/4	01001	3.39	79.99	01265	6.77	139.10
		3	01765	3.38	89.83	03905	6.77	156.21			2	00034	3.87	85.39	00245	7.74	148.51
		4	03160	4.51	113.94	05360	9.02	198.16			2 1/2	00175	4.84	100.56	00476	9.67	174.87
		6	04820	6.77	162.28	04785	13.53	282.23			3	00233	5.80	115.85	00752	11.60	201.47
											3 1/2	01640	6.77	131.14	03970	13.54	228.06
1/4	x	1/4	00042	0.33	32.26	00147	0.65	56.10	4	00190	7.73	146.36	00866	15.47	254.53		
		5/16	02242	0.41	49.37	01074	0.81	85.87	4 1/2	05800	8.70	161.57	04790	17.40	280.98		
		3/8	00214	0.49	25.24	00480	0.97	43.87	5	02450	9.67	176.77	03145	19.33	307.42		
		1/2	00007	0.65	27.51	00086	1.29	47.84	5 1/2	06355	10.63	192.13	05535	21.26	334.12		
		5/8	00618	0.81	30.24	00237	1.62	52.59	6	00770	11.60	207.33	01600	23.20	360.58		
		3/4	00005	0.97	32.83	00046	1.94	57.11	7	05130	13.53	271.87	07070	27.06	472.80		
		1	00002	1.29	38.26	00008	2.58	66.55	8	04060	15.46	307.19	05790	30.92	534.24		
		1 1/4	00073	1.61	43.18	00074	3.23	75.10	10	04540	19.33	377.07	07075	38.65	655.77		
		1 1/2	00023	1.94	48.63	00050	3.87	84.56	12	04335	23.19	447.34	06095	46.38	777.97		
		1 3/4	00566	2.26	53.58	00701	4.51	93.20									
		2	00015	2.58	59.35	00122	5.16	103.23	7/16	x	7/16	01975	0.99	52.94	01520	1.98	92.06
		2 1/2	00154	3.22	70.05	00193	6.45	121.82			1/2	01325	1.13	47.86	03150	2.27	83.22
3	00080	3.87	80.78	00144	7.74	140.48	3/4	03165			1.70	56.72	00491	3.39	98.64		
3 1/2	00518	4.51	91.53	03335	9.02	159.18	1	00248			2.26	65.56	02655	4.52	114.01		
4	00055	5.16	102.29	00584	10.31	177.88	1 1/4	00170			2.82	73.74	02800	5.65	128.26		
4 1/2	02585	5.80	112.98	03070	11.60	196.48	1 1/2	01920			3.39	82.61	04050	6.77	143.65		
5	00782	6.44	123.69	00878	12.89	215.11	2	02670			4.51	100.30	04520	9.03	174.46		
5 1/2	05380	7.09	134.49	05100	14.18	233.89	2 1/2	05940			5.64	118.03	06100	11.28	205.26		
6	00100	7.73	151.03	00290	15.46	262.65	3	03810			6.77	135.74	05925	13.54	236.09		
7	05125	9.02	191.03	05525	18.04	332.23	4	02455			9.02	166.89	06310	18.05	290.23		
8	00611	10.31	216.12	00899	20.62	375.87	6	04430			13.53	242.08	06480	27.06	421.01		
10	01145	12.88	265.48	03575	25.77	461.69											
12	05265	15.46	315.10	01955	30.92	547.98	1/2	x	1/2	00013	1.29	49.36	00071	2.59	85.84		
14	07575	18.04	363.21	07725	36.07	631.68			5/8	00134	1.62	53.97	00995	3.23	93.87		
									3/4	00038	1.94	58.57	00215	3.88	101.86		
9/32	x	9/32	01073	0.41	33.54	02365			0.82	58.34	1	00012	2.58	67.74	00069	5.17	117.83
		1/2	00503	0.73	31.78	02130			1.46	55.25	1 1/4	00083	3.23	76.63	00833	6.45	133.28
		3/4	02430	1.09	37.82	02035			2.18	65.77	1 1/2	00059	3.87	85.78	00620	7.74	149.20
		1	03030	1.45	43.97	02650			2.91	76.46	1 3/4	02022	4.51	95.29	02061	9.03	165.72
		1 1/4	04535	1.82	49.52	03340			3.63	86.13	2	00047	5.16	104.23	00197	10	

PRESCO OIL-HARDENING GROUND FLAT STOCK (Continued)

Regular and Oversize Tolerances

--- Size ---		---- 18" Length ----			---- 36" Length ----			--- Size ---		---- 18" Length ----			---- 36" Length ----																		
Thickness	W Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price																
1/2	x	4	1/2	04340	11.60	196.34	07515	23.20	341.45	1	1/8	x	4	07100	23.20	345.90	07770	46.40	601.58												
		5	01605	12.89	216.01	03345	25.78	375.65	6				07835	34.79	481.90	07270	69.59	838.08													
		6	00458	15.46	264.74	01865	30.93	460.42	1				1/4	x	1	03390	8.07	168.53	03025	16.13	293.11										
		7	04675	18.04	334.82	05930	36.08	582.30							1	03650	9.68	186.68	01965	19.35	324.66										
		8	03035	20.62	378.13	02660	41.23	657.62							2	02510	12.90	223.13	05255	25.79	388.05										
		10	05270	25.77	455.15	03530	51.54	791.56							2	04125	16.12	259.43	05665	32.24	451.16										
		12	05945	30.92	531.41	03535	61.84	924.19							3	05675	19.34	295.66	06495	38.68	514.19										
9/16	x	9/16	04545	1.64	59.24	05795	3.28	103.01	4	04550	25.78	368.31	06660	51.56	640.53																
		3/4	06510	2.18	66.81	02945	4.36	116.20	5	06875	32.22	442.41	07775	64.44	769.41																
		1	00662	2.91	77.01	04120	5.81	133.93	6	04695	38.66	515.07	07780	77.32	895.76																
		1 1/4	05670	3.63	87.02	03580	7.26	151.35	1	1/2	x	1	01240	11.61	217.82	04800	23.22	378.82													
		1 1/2	04680	4.35	97.19	04895	8.71	169.04				2	02765	15.48	259.48	02920	30.95	451.25													
		2	02590	5.80	117.69	04190	11.61	204.67				2	05145	19.34	301.16	06330	38.68	523.74													
		5/8	x	5/8	00728	2.02	64.67	00908				4.04	112.46	3	03585	23.21	342.89	07090	46.41	596.33											
3/4	00257			2.42	70.00	01070	4.85	121.74				4	05820	30.93	426.22	06665	61.87	741.27													
1	00142			3.23	80.54	00836	6.46	140.05	6	06130	46.39	601.61	07795	92.78	1046.30																
1 1/4	01925			4.03	90.78	03020	8.07	157.89	8	07280	61.85	832.71	07800	123.70	1448.19																
1 1/2	00614			4.84	101.35	02735	9.68	176.26	2	x		2	02380	20.64	332.42	06500	41.27	578.12													
2	00395			6.45	122.50	01575	12.90	213.05				3	04205	30.94	437.20	06335	61.88	760.37													
2 1/2	02375			8.06	143.63	05370	16.12	249.81				4	05560	41.25	542.11	07560	82.49	942.79													
3	02675	9.67	164.80	05375	19.34	286.60	6	07105				61.86	721.70	07810	123.71	1255.15															
3 1/2	05135	11.28	185.99	07730	22.56	323.45	SQUARES					2	1/2	x	2	1/2	06135	32.24	571.47	07565	64.47	993.88									
4	00929	12.89	207.13	03915	25.78	360.25																									
5	06360	16.11	250.81	07525	32.22	436.18	OVERSIZE TOLERANCE																								
6	03285	19.33	293.12	06315	38.66	509.76														1/8	x	1/2	20080	0.36	18.81	20090	0.73	32.70			
3/4	x	3/4	00076	2.91	83.22	00236														5.82	144.75	3/4	20100	0.54	23.10	20110	1.08	40.19			
		1	00061	3.87	95.60	00281														7.75	166.28	1	20120	0.72	27.34	20130	1.44	47.54			
		1 1/4	00178	4.84	107.27	01960														9.68	186.57	1 1/4	20140	0.89	31.32	20150	1.79	54.47			
		1 1/2	00827	5.81	119.58	01470														11.61	207.98	1 1/2	20160	1.07	35.55	20170	2.14	61.82			
		1 3/4	02437	6.77	131.91	00865														13.54	229.42	2	20180	1.43	44.02	20190	2.85	76.55			
		2	00524	7.74	144.23	01420														15.48	250.83	2 1/2	20200	1.78	52.43	20210	3.56	91.18			
		2 1/2	01475	9.67	168.82	03470														19.34	293.59	3	20220	2.13	60.92	20230	4.27	105.95			
		3	00473	11.60	193.56	04660														23.21	336.60	4	20240	2.84	77.83	20250	5.69	135.34			
		3 1/2	04995	13.54	218.16	06320														27.07	379.40	3/16	x		3/16	05615	0.21	36.73	00920	0.41	63.87
		4	00800	15.47	242.80	04665														30.93	422.26				1/2	02525	0.53	25.27	02155	1.06	43.95
		4 1/2	06670	17.40	267.46	06485	34.80	465.15	3/4	01590	0.79	30.27	01088	1.57	52.66																
		5	05395	19.33	293.49	04980	38.66	510.41	1	01061	1.04	35.50	01091	2.09	61.73																
6	01980	23.20	342.76	05935	46.39	596.09	1 1/4	05465	1.30	40.35	01890	2.60	70.16																		
8	05550	30.92	501.46	07740	61.85	872.10	1 1/2	02890	1.56	45.51	01815	3.12	79.15																		
10	05400	38.65	604.80	06650	77.31	1051.79	1 3/4	04267	1.82	50.65	06380	3.63	88.08																		
12	06125	46.38	708.21	07745	92.76	1231.67	2	02970	2.07	55.87	01570	4.15	97.16																		
7/8	x	7/8	01930	3.96	104.27	03920	7.91	181.34	2 1/2	06030	2.59	66.14	04725	5.18	115.03																
		1	02805	4.52	111.31	05105	9.04	193.58	3	05205	3.10	76.53	05290	6.21	133.09																
		1 1/4	04435	5.65	124.50	02410	11.29	216.52	4	05210	4.13	97.15	04850	8.27	168.96																
		1 1/2	05000	6.77	138.48	06105	13.55	240.84	6	05720	6.20	138.50	05455	12.39	240.89																
		2	04685	9.03	166.42	04900	18.06	289.40	1/4	x		1/4	03420	0.36	32.91	00848	0.71	57.24													
		3	04200	13.54	222.52	07535	27.07	386.99				1/2	00239	0.69	28.07	00569	1.39	48.80													
4	05555	18.05	278.52	07080	36.09	484.38	3/4	00563				1.03	33.50	00221	2.06	58.25															
6	06365	27.06	391.93	06490	54.12	681.60	1	00176				1.37	39.04	00302	2.74	67.88															
1	x	1	00078	5.17	119.70	00347	10.33	208.15				1 1/4	00956	1.71	44.04	01310	3.42	76.60													
		1 1/4	01195	6.45	133.43	02865	12.91	232.06				1 1/2	01315	2.05	49.60	01345	4.09	86.25													
		1 1/2	00422	7.74	148.18	01910	15.48	257.70	1 3/4	06210	2.38	54.66	04275	4.77	95.07																
		1 3/4	01227	9.03	162.83	04073	18.06	283.19	2	00968	2.72	60.54	02160	5.44	105.30																
		2	00191	10.32	177.54	01740	20.64	308.77	2 1/2	04000	3.40	71.46	00977	6.80	124.27																
		2 1/2	02460	12.89	206.96	03645	25.79	359.94	3	00818	4.07	82.39	02625	8.15	143.28																
		3	01125	15.47	236.26	04985	30.94	410.90	3 1/2	06745	4.75	93.35	04085	9.50	162.36																
		3 1/2	05805	18.05	265.66	07540	36.09	462.01	4	00872	5.43	104.33	02110	10.85	181.43																
		4	01235	20.62	295.04	05540	41.25	513.13	5	04730	6.78	126.16	03860	13.56	219.41																
		5	04905	25.78	355.16	06110	51.55	617.67	6	02000	8.13	154.06	03995	16.26	267.90																
		6	01285	30.93	413.99	04795	61.86	719.99	8	02623	10.84	220.44	04418	21.67	383.38																
		8	05810	41.23	603.69	06115	82.47	1049.89	5/16	x		5/16	03485	0.54	35.56	04855	1.09	61.84													
10	05815	51.54	728.64	07085	103.08	1267.20	1/2	03940				0.86	33.59	03240	1.72	58.40															
12	06675	61.84	853.50	07755	123.69	1484.33	3/4	03490				1.28	40.04	03865	2.55	69.65															
1 1/8	x	1 1/8	03925	6.54	152.63	06655	13.07	265.43				1	01795	1.70	46.53	00773	3.39	80.93													
		1 1/2	04690	8.71	177.74	07760	17.42	309.11				1 1/4	04005	2.11	52.40	03460	4.23	91.12													
		2	05005	11.61	211.39	06855	23.22	367.62																							
		3	07585	17.40	278.60	07765	34.81	484.52																							

PRESCO OIL-HARDENING GROUND FLAT STOCK (Continued)

Oversize Tolerance

--- Size ---		--- 18" Length ---			--- 36" Length ---			--- Size ---		--- 18" Length ---			--- 36" Length ---				
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price		
5/16	x 1 1/2	06215	2.53	58.92	05460	5.07	102.45	1/2	x 3	06970	7.96	143.89	07975	15.91	250.25		
	1 3/4	06580	2.95	65.30	06390	5.90	113.57		x 4	03750	10.60	181.47	06735	21.19	315.59		
	2	02345	3.37	71.79	06015	6.74	124.83		OVERSIZE TOLERANCE	x 5	06585	13.24	220.33	07985	26.47	383.18	
	2 1/2	06750	4.21	84.68	06020	8.41	147.26			x 6	02440	15.88	270.05	03480	31.75	469.63	
	3	05215	5.04	97.52	06955	10.09	169.60			5/8	x 5/8	04480	2.09	65.95	02565	4.19	114.70
	3 1/2	07665	5.88	110.41	07945	11.76	192.00				x 3/4	04870	2.50	71.40	04605	5.01	124.17
	4	04475	6.72	123.32	06720	13.44	214.48				1	04160	3.33	82.13	06205	6.65	142.84
	5	07370	8.39	148.79	07955	16.79	258.77				1 1/4	06755	4.15	92.60	07660	8.29	161.04
	6	04610	10.07	181.27	07960	20.14	315.26				1 1/2	03755	4.97	103.38	07140	9.94	179.79
	3/8	x 3/8	01320	0.77	44.76	02560	1.55				77.84	2	05045	6.61	124.95	07145	13.22
1/2		00851	1.02	40.94	02115	2.05	71.19	2 1/2			06975	8.25	146.51	07990	16.51	254.80	
3/4		01180	1.52	48.82	01160	3.04	84.90	3			06760	9.90	168.10	07150	19.79	292.33	
1		00698	2.02	56.56	01820	4.04	98.34	4	06395		13.18	211.28	08000	26.36	367.45		
1 1/4		03870	2.52	63.68	05195	5.04	110.76	6	07160		19.75	298.97	08010	39.50	519.94		
1 1/2		02570	3.02	71.48	02965	6.04	124.31	3/4	x 3/4	03945	3.00	84.90	04945	5.99	147.64		
1 3/4		05870	3.52	81.59	04930	7.04	141.90		1	03365	3.98	97.52	05300	7.96	169.60		
2		02400	4.02	87.10	03615	8.04	151.46		1 1/4	03315	4.96	109.42	08015	9.92	190.31		
2 1/2		04155	5.02	102.57	04860	10.03	178.37		1 1/2	03760	5.94	121.97	07340	11.88	212.13		
3		03425	6.01	118.16	04935	12.03	205.50		2	05310	7.91	147.10	07345	15.81	255.84		
3 1/2	06220	7.01	133.77	06725	14.03	232.63	2 1/2		06980	9.87	172.20	07350	19.74	299.47			
4	03875	8.01	149.28	05200	16.02	259.63	3		05880	11.84	197.42	06740	23.67	343.34			
5	05305	10.01	180.30	06960	20.02	313.57	4		05470	15.76	247.65	08025	31.53	430.69			
6	05220	12.00	211.48	07135	24.01	367.78	6		06985	23.62	349.61	08040	47.24	608.02			
8	04101	16.00	313.34	24604	32.00	544.93	OVERSIZE TOLERANCE		x 1	04090	5.28	122.09	05610	10.56	212.32		
1/2	x 1/2	01625	1.35	50.35	02215	2.71		87.55	1 1/4	05885	6.59	136.10	07355	13.17	236.70		
	5/8	05035	1.68	55.05	05295	3.37		95.74	1 1/2	05315	7.89	151.13	06025	15.78	262.86		
	3/4	03360	2.01	59.73	02820	4.03		103.90	2	04280	10.50	181.09	06965	21.00	314.94		
	1	01200	2.67	69.10	04940	5.35		120.18	2 1/2	07165	13.11	211.11	07360	26.22	367.14		
	1 1/4	05730	3.33	78.18	06730	6.67		135.95	3	06590	15.72	240.99	08045	31.43	419.12		
	1 1/2	02825	3.99	87.51	05715	7.99		152.17	4	04735	20.93	300.96	08055	41.87	523.38		
	2	01110	5.31	106.31	04865	10.63		184.87	6	06595	31.37	422.28	06570	62.73	734.39		
	2 1/2	05040	6.63	125.09	07970	13.27		217.57									

PRESCO Oil-hardening Metric Ground Flat Stock AISI/SAE TYPE O-1

1 meter (1000 mm) = 39.375 inches

--- Size mm ---		--- 1m Length ---			--- Size mm ---		--- 1m Length ---			--- Size mm ---		--- 1m Length ---		
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price
3	x 15	10005	0.78	57.50	5	x 15	10105	1.30	67.09	8	x 15	10505	2.08	107.58
	20	10010	1.04	63.06		20	10110	1.73	71.47		20	10510	2.77	128.82
	25	10015	1.30	67.28		25	10115	2.16	75.87		25	10515	3.47	135.99
	30	10020	1.56	71.48		30	10120	2.59	91.04		30	10520	4.15	141.59
	40	10025	2.08	76.24		40	10125	3.46	94.96		40	10525	5.54	145.82
	50	10030	2.59	83.45		50	10130	4.32	99.00		50	10530	6.92	180.64
	60	10035	3.11	94.63		60	10135	5.19	110.97		60	10535	8.31	206.79
	75	10040	3.89	107.78		75	10140	6.49	127.71		75	10540	10.39	226.52
	100	10045	5.19	136.94		100	10145	8.65	172.87		100	10545	13.85	327.32
	150	10050	7.78	205.13		150	10150	12.97	252.29		150	10550	20.77	459.10
4	x 15	10055	1.04	60.74	6	x 15	10155	1.56	80.26	10	x 15	10205	2.59	134.88
	20	10060	1.38	66.65		20	10160	2.08	87.60		20	10210	3.46	170.03
	25	10065	1.73	68.30		25	10165	2.59	94.96		25	10215	4.32	177.02
	30	10070	2.08	71.48		30	10170	3.11	99.17		30	10220	5.19	184.01
	40	10075	2.77	82.18		40	10175	4.15	102.84		40	10225	6.92	188.78
	50	10080	3.46	97.37		50	10180	5.19	107.42		50	10230	8.65	253.87
	60	10085	4.15	104.07		60	10185	6.23	132.90		60	10235	10.38	280.64
	75	10090	5.19	114.91		75	10190	7.78	168.47		75	10240	12.97	284.57
	100	10095	6.92	151.32		100	10195	10.38	180.83		100	10245	17.29	473.80
	150	10100	10.38	232.28		150	10200	15.57	260.01		150	10250	25.94	658.20

NUTEC42® Pre-hardened Ground Flat Stock

AISI/SAE TYPE 4142

Regular Tolerance

--- Size ---				----- 18' Length -----				----- 36' Length -----				--- Size ---				----- 18' Length -----				----- 36' Length -----			
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price
1/16	x	1/2	25005	0.16	28.47	25105	0.32	49.53	5/16	x	5/16	90508	0.51	51.55	90888	1.01	89.65						
		3/4	25010	0.24	35.97	25110	0.48	62.54			3/8	25315	0.61	49.07	25320	1.22	85.33						
		1	25015	0.32	43.38	25115	0.65	75.43			1/2	06752	0.81	44.46	06847	1.62	77.31						
		1 1/2	25020	0.48	58.15	25120	0.97	101.12			5/8	25325	1.01	47.58	25330	2.02	82.75						
		2	25025	0.64	72.89	25125	1.29	126.75			3/4	06753	1.21	48.04	06848	2.42	83.55						
		3	25030	0.97	102.27	25130	1.93	177.88			1	06754	1.61	57.11	06849	3.23	99.32						
		4	25035	1.29	131.79	25135	2.58	229.20			1 1/4	06756	2.02	63.36	06851	4.03	110.18						
3/32	x	1/2	25040	0.24	32.69	25140	0.49	56.84	1 1/2	06757	2.42	71.02	06852	4.84	123.53								
		3/4	25045	0.36	40.50	25145	0.73	70.43	1 3/4	25335	2.82	83.03	25340	5.64	145.62								
		1	25050	0.48	48.44	25150	0.97	84.27	2	06758	3.22	86.33	06853	6.45	150.13								
		1 1/2	25055	0.73	64.03	25155	1.45	111.35	2 1/2	06759	4.03	100.95	06854	8.06	175.58								
		2	25060	0.97	79.79	25160	1.94	138.76	3	06761	4.83	116.28	06856	9.67	202.27								
		3	25065	1.45	111.47	25165	2.90	193.85	3 1/2	25345	5.64	142.01	25350	11.28	246.98								
		4	25070	1.93	142.91	25170	3.87	248.54	4	06762	6.44	146.25	06857	12.89	254.34								
1/8	x	3/8	25175	0.24	43.82	25180	0.49	76.18	3/8	x	3/8	90563	0.73	53.25	90943	1.46	92.63						
		1/2	06711	0.32	29.73	06806	0.65	51.72			1/2	06766	0.97	48.89	06861	1.94	85.00						
		5/8	25185	0.40	34.03	25190	0.81	59.18			5/8	25375	1.21	53.06	25380	2.42	92.28						
		3/4	06712	0.48	35.74	06807	0.97	62.16			3/4	06767	1.45	54.34	06862	2.91	94.51						
		1	06713	0.65	42.61	06808	1.29	74.12			1	06768	1.94	64.06	06863	3.87	111.36						
		1-1/4	06714	0.81	47.67	06809	1.61	82.92			1 1/4	06769	2.42	70.35	06864	4.84	122.35						
		1-1/2	06716	0.97	53.69	06811	1.94	93.35			1 1/2	06771	2.90	78.72	06866	5.81	136.88						
		1-3/4	25195	1.13	62.48	25200	2.26	108.65			1 3/4	25385	3.39	92.19	25390	6.77	160.34						
		2	06717	1.29	66.58	06812	2.58	115.78			2	06772	3.87	94.72	06867	7.74	164.72						
		2-1/2	06718	1.61	79.45	06813	3.22	138.18			2 1/2	06773	4.84	110.72	06868	9.67	192.57						
		3	06719	1.93	91.35	06814	3.87	158.86			3	06774	5.80	126.73	06869	11.60	220.40						
		3 1/2	25205	2.26	101.25	25210	4.51	176.10			3 1/2	25395	6.77	154.30	25400	13.54	268.36						
		4	06721	2.58	111.15	06816	5.16	193.31			4	06776	7.73	158.79	06871	15.47	276.14						
		5	06722	3.22	142.05	06817	6.44	247.05			5	06777	9.67	190.81	06872	19.33	331.86						
6	06723	3.87	166.88	06818	7.73	290.21	6	06778	11.60	222.83	06873	23.20	387.55										
3/16	x	3/16	90398	0.18	76.18	90778	0.37	132.51	1/2	x	1/2	90618	1.29	58.79	90998	2.59	102.25						
		3/8	25215	0.36	51.44	25220	0.73	89.46			5/8	25425	1.62	62.48	25430	3.23	108.66						
		1/2	06724	0.49	39.69	06819	0.97	69.03			3/4	06779	1.94	64.46	06874	3.88	112.08						
		5/8	25225	0.61	42.04	25230	1.21	73.10			1	06781	2.58	74.52	06876	5.17	129.60						
		3/4	06726	0.73	41.05	06821	1.45	71.41			1 1/4	06782	3.23	81.92	06877	6.45	142.46						
		1	06727	0.97	49.42	06822	1.94	85.94			1 1/2	06783	3.87	90.68	06878	7.74	157.72						
		1 1/4	06728	1.21	52.46	06823	2.42	91.23			1 3/4	25435	4.51	106.17	25440	9.03	184.63						
		1 1/2	06729	1.45	59.36	06824	2.90	103.22			2	06784	5.16	108.10	06879	10.32	187.99						
		1 3/4	25235	1.69	69.14	25240	3.39	120.25			2 1/2	06786	6.45	125.59	06881	12.89	218.40						
		2	06731	1.93	72.28	06826	3.87	125.71			3	06787	7.74	143.04	06882	15.47	248.76						
		2 1/2	06732	2.42	85.94	06827	4.84	149.49			3 1/2	25445	9.02	174.45	25450	18.05	303.40						
		3	06733	2.90	99.64	06828	5.80	173.27			4	06788	10.31	177.97	06883	20.62	309.53						
		3 1/2	25245	3.38	120.34	25250	6.77	209.29			5	06789	12.89	212.86	06884	25.78	370.19						
		4	06734	3.87	126.28	06829	7.73	219.62			6	06791	15.46	247.78	06886	30.93	430.93						
5	06736	4.83	152.91	06831	9.67	265.92	8	25455	20.62	337.25	25460	41.23	586.53										
6	06737	5.80	179.55	06832	11.60	312.24	10	25465	25.77	418.25	25470	51.54	727.39										
1/4	x	1/4	90453	0.33	46.05	90833	0.65	80.07	10														
		3/8	25255	0.49	43.03	25260	0.97	74.84															
		1/2	06738	0.65	39.68	06833	1.29	69.01															
		5/8	25265	0.81	41.05	25270	1.62	71.41															
		3/4	06739	0.97	40.23	06834	1.94	69.94															
		1	06741	1.29	48.38	06836	2.58	84.13															
		1 1/4	06742	1.61	54.49	06837	3.23	94.77															
		1 1/2	06743	1.94	61.35	06838	3.87	106.69															
		1 3/4	25275	2.26	72.00	25280	4.51	125.22															
		2	06744	2.58	74.26	06839	5.16	129.15															
		2 1/2	06746	3.22	87.91	06841	6.45	152.89															
		3	06747	3.87	100.90	06842	7.74	175.46															
		3 1/2	25285	4.51	122.81	25290	9.02	213.59															
		4	06748	5.16	127.44	06843	10.31	221.65															
5	06749	6.44	154.71	06844	12.89	269.06																	
6	06751	7.73	185.24	06846	15.46	322.14																	
8	25295	10.31	279.83	25300	20.62	486.67																	
10	25305	12.89	344.17	25310	25.77	598.56																	

NUTEC42 PRE-HARDENED GROUND FLAT STOCK (Continued)

Regular Tolerance

--- Size ---			---- 18" Length ----			---- 36" Length ----			--- Size ---			---- 18" Length ----			---- 36" Length ----		
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price		
5/8	x 5/8	90667	2.02	70.87	91047	4.04	123.28	1	x 1	90698	5.17	146.25	91078	10.33	254.34		
	3/4	25475	2.42	83.62	25480	4.85	145.44		1 1/4	25585	6.45	160.02	25590	12.91	278.28		
	1	90722	3.23	88.59	91052	6.46	154.07		1 1/2	06799	7.74	162.52	06894	15.48	282.64		
	1 1/4	25485	4.03	98.16	25490	8.07	170.72		1 3/4	25595	9.03	192.05	25600	18.06	333.98		
	1 1/2	90727	4.84	117.80	91057	9.68	204.86		2	06801	10.32	190.86	06896	20.64	331.93		
	2	90732	6.45	127.04	91062	12.90	220.94		2 1/2	25605	12.89	241.58	25610	25.79	420.13		
	2 1/2	25495	8.06	158.64	25500	16.12	275.89		3	06802	15.47	247.81	06897	30.94	430.97		
	3	90738	9.67	167.08	91068	19.34	290.57		3 1/2	25615	18.05	308.05	25620	36.09	535.71		
	4	90743	12.89	207.13	91073	25.78	360.24		4	06803	20.62	341.42	06898	41.25	593.76		
	6	90747	19.33	274.32	91077	38.66	477.07		5	25625	25.78	406.31	25630	51.55	706.65		
8	25505	25.77	429.25	25510	51.54	746.52	6	06804	30.93	418.05	06899	61.86	727.05				
3/4	x 3/4	90668	2.91	89.74	91048	5.82	156.07	8	25635	41.23	676.35	25640	82.47	1176.26			
	1	06792	3.87	104.36	06887	7.75	181.49	10	25645	51.54	818.40	25650	103.08	1423.29			
	1 1/4	25515	4.84	124.68	25520	9.68	216.83										
	1 1/2	06793	5.81	129.80	06888	11.61	225.75										
	1 3/4	25525	6.77	152.56	25530	13.54	265.31										
	2	06794	7.74	153.30	06889	15.48	266.59										
	2 1/2	25535	9.67	192.92	25540	19.34	335.49										
	3	06796	11.60	200.52	06891	23.21	348.74										
	3 1/2	25545	13.54	246.64	25550	27.07	428.93										
	4	06797	15.47	247.59	06892	30.93	430.60										
5	25555	19.33	326.98	25560	38.66	568.65											
6	06798	23.20	341.81	06893	46.39	594.46											
8	25565	30.92	532.19	25570	61.85	925.54											
10	25575	38.65	654.57	25580	77.31	1138.37											

NUTEC42® (72" Length)
Pre-hardened Ground Flat Stock

AISI/SAE TYPE 4142

Regular Tolerance

--- Size ---			---- 72" Length ----			--- Size ---			---- 72" Length ----			--- Size ---			---- 72" Length ----		
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price			
1/2	x 1	24916	10.31	311.04	3/4	x 3/4	24926	11.59	343.37	1	x 1	24952	20.61	559.55			
	1 1/2	24927	15.46	346.98		1	24933	15.46	399.29		1 1/2	24957	30.92	621.81			
	2	24934	20.61	413.56		1 1/2	24946	23.19	496.66		2	24965	41.22	730.27			
	3	24949	30.92	547.28		2	24954	30.92	586.50		3	24976	61.83	948.14			
	4	24961	41.22	680.97		3	24966	46.37	767.22		4	24979	82.44	1306.27			
	6	24975	61.83	948.04		4	24974	61.83	947.34		6	24982	123.66	1599.53			
					6	24980	92.75	1307.81									

SUPER-7

Air-hardening Ground Flat Stock

AISI/SAE TYPE S-7

Oversize Tolerance

--- Size ---		----- 18" Length -----			----- 36" Length -----			--- Size ---		----- 18" Length -----			----- 36" Length -----				
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price		
1/8	x	1/2	03955	0.36	26.94	02105	0.73	48.12	5/16	x	1/2	01670	0.86	48.53	05185	1.72	86.66
		3/4	02010	0.54	32.73	01700	1.08	58.44			3/4	03005	1.28	57.83	02555	2.55	103.26
		1	01900	0.72	38.42	01505	1.43	68.61			1	05515	1.70	67.14	03675	3.39	119.88
		1 1/4	06450	0.89	43.04	01995	1.79	76.86			1 1/4	07250	2.11	74.95	01555	4.23	133.86
		1 1/2	03265	1.07	48.80	02615	2.14	87.17			1 1/2	04045	2.53	84.31	04470	5.07	150.54
		2	03505	1.43	60.19	02300	2.85	107.49			2	06285	3.37	102.88	03850	6.74	183.72
		2 1/2	06810	1.78	71.57	04595	3.56	127.81			2 1/2	06290	4.21	121.41	04270	8.41	216.78
		3	02840	2.13	83.10	04465	4.27	148.40			3	04765	5.04	140.01	03100	10.09	250.02
4	04105	2.84	105.91	02250	5.69	189.14	4	06630	6.72	177.15	05605	13.44	316.33				
5	07230	3.55	128.70	04265	7.10	229.81	3/8	x	1/2	00863	1.02	57.83	01085	2.05	103.26		
6	03715	4.26	151.47	05600	8.52	270.51			3/4	00893	1.52	68.60	00410	3.04	122.50		
5/32	x	1/2	05750	0.45	33.19	02620			0.89	59.29	1	03215	2.02	79.39	00992	4.04	141.79
		3/4	07045	0.66	40.24	02715			1.33	71.86	1 1/4	02845	2.52	88.58	00734	5.04	158.17
		1	02030	0.88	47.51	02340			1.76	84.85	1 1/2	03010	3.02	99.22	00713	6.04	177.18
		1 1/4	07235	1.10	53.61	06555			2.20	95.73	1 3/4	07239	3.52	110.99	07249	7.04	198.20
		1 1/2	07480	1.32	60.57	02305			2.63	108.17	2	03125	4.02	120.84	03745	8.04	215.80
		2	07485	1.75	74.94	04720			3.50	133.81	2 1/2	02265	5.02	142.28	04375	10.03	254.07
		2 1/2	07490	2.19	89.00	06940	4.37	158.93	3	02125	6.01	163.95	03855	12.03	292.76		
		3	07495	2.62	103.32	06705	5.24	184.49	4	05355	8.01	206.90	03570	16.02	369.44		
4	07240	3.49	131.81	06560	6.98	235.37	1/2	x	3/4	04640	2.01	89.01	04600	4.03	158.96		
3/16	x	1/2	05080	0.53	37.42	02255			1.06	66.80	1	06075	2.67	103.45	05445	5.35	184.73
		3/4	03510	0.79	45.05	01660			1.57	80.45	1 1/4	07510	3.33	116.77	05190	6.67	208.52
		1	03890	1.04	52.77	01550			2.09	94.25	1 1/2	05910	3.99	131.04	06005	7.99	234.00
		1 1/4	07505	1.30	59.31	01058			2.60	105.89	2	04295	5.31	159.95	06565	10.63	285.63
		1 1/2	05245	1.56	66.82	01255			3.12	119.34	2 1/2	07255	6.63	188.80	06010	13.27	337.13
		2	06070	2.07	82.21	03195			4.15	146.81	3	06080	7.96	217.68	06195	15.91	388.71
		2 1/2	07050	2.59	97.54	02210			5.18	174.18	4	06085	10.60	275.45	06200	21.19	491.88
		3	06280	3.10	112.90	04150	6.21	201.61	1/4	x	1/2	01025	0.69	42.18	00380	1.39	75.31
4	07055	4.13	143.60	04080	8.27	256.43	3/4	01715			1.03	50.66	01460	2.06	90.45		
1/4	x	1	02320	1.37	59.03	00677	2.74	105.40			1	02320	1.37	59.03	00677	2.74	105.40
		1 1/4	03065	1.71	66.20	00638	3.42	118.20			1 1/4	03065	1.71	66.20	00638	3.42	118.20
		1 1/2	00764	2.05	74.64	00467	4.09	133.28			1 1/2	00764	2.05	74.64	00467	4.09	133.28
		1 3/4	07232	2.38	84.86	07236	4.77	151.54			1 3/4	07232	2.38	84.86	07236	4.77	151.54
		2	04395	2.72	91.46	01220	5.44	163.31			2	04395	2.72	91.46	01220	5.44	163.31
		2 1/2	05350	3.40	108.30	03200	6.80	193.39			2 1/2	05350	3.40	108.30	03200	6.80	193.39
		3	04760	4.07	125.15	01405	8.15	223.48	3	04760	4.07	125.15	01405	8.15	223.48		
		4	05085	5.43	158.71	02485	10.85	283.40	4	05085	5.43	158.71	02485	10.85	283.40		

AIR-TRUE

Air-hardening Ground Flat Stock

AISI/SAE TYPE A-2

Regular Tolerance

--- Size ---		--- 18" Length ---			--- 36" Length ---			--- Size ---		--- 18" Length ---			--- 36" Length ---		
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price
3/64	x 1/2	20420	0.12	28.62	20430	0.24	52.07	5/32	x 1 3/4	05831	1.41	57.68	07151	2.82	104.87
	3/4	20440	0.18	38.69	20450	0.36	70.34		2	03250	1.61	63.90	06890	3.23	116.20
	1	20460	0.24	44.51	20470	0.49	80.91		2 1/2	05325	2.02	76.26	07845	4.03	138.67
	1 1/4	20480	0.30	52.52	20490	0.61	95.48		3	04875	2.42	88.76	06155	4.84	161.37
	1 1/2	20500	0.36	60.11	20510	0.73	109.29		3 1/2	03626	2.82	101.16	04741	5.64	183.92
2	20520	0.48	75.92	20530	0.97	138.06	4	05050	3.22	113.59	06895	6.45	206.53		
1/16	x 1/2	00627	0.16	19.21	00582	0.32	34.93	3/16	x 3/16	02490	0.18	49.63	03985	0.37	90.22
	3/4	01411	0.24	25.84	53291	0.48	46.98		3/8	11040	0.36	25.45	11170	0.73	46.26
	1	00792	0.32	29.67	00489	0.65	53.96		1/2	00737	0.49	29.30	00184	0.97	53.29
	1 1/4	00405	0.40	34.67	00207	0.81	63.02		5/8	11045	0.61	31.47	11175	1.21	57.20
	1 1/2	00888	0.48	39.90	01586	0.97	72.55		3/4	02165	0.73	35.50	00530	1.45	64.56
	2	51371	0.64	50.22	00852	1.29	91.31		1	00135	0.97	41.90	00263	1.94	76.18
	2 1/2	01956	0.81	60.76	00660	1.61	110.47		1 1/4	02975	1.21	47.80	00449	2.42	86.92
	3	01536	0.97	64.40	01077	1.93	117.08		1 1/2	03370	1.45	54.04	00596	2.90	98.25
	4	00891	1.29	92.12	00933	2.58	167.51		1 3/4	00321	1.69	60.42	00880	3.39	109.86
6	11005	1.93	131.74	11135	3.87	239.51	2	02495	1.93	66.81	00515	3.87	121.49		
8	11010	2.58	197.46	11140	5.15	359.04	2 1/2	03680	2.42	79.41	01340	4.84	144.41		
5/64	x 1/2	20540	0.20	24.41	20550	0.40	44.39	3	04620	2.90	92.11	02775	5.80	167.48	
	3/4	20560	0.30	31.74	20570	0.61	57.74	3 1/2	01449	3.38	106.41	01669	6.77	193.46	
	1	20580	0.40	37.68	20590	0.81	68.48	4	03685	3.87	117.48	00794	7.73	213.61	
	1 1/4	20600	0.50	43.93	20610	1.01	79.87	5	04010	4.83	142.87	04355	9.67	259.77	
	1 1/2	20620	0.61	50.63	20630	1.21	92.06	6	05060	5.80	168.20	03550	11.60	305.81	
2	20640	0.81	63.75	20650	1.61	115.90	7	04208	6.77	216.79	02949	13.53	394.17		
3/32	x 1/2	00354	0.24	25.37	00690	0.49	46.13	8	01047	7.73	259.81	02256	15.46	472.37	
	3/4	00462	0.36	31.83	00579	0.73	57.88	10	11050	9.66	280.30	11180	19.33	509.65	
	1	00987	0.48	38.34	00384	0.97	69.69	12	11055	11.60	390.12	11185	23.19	709.31	
	1 1/4	03546	0.61	44.62	01511	1.21	81.11	7/32	x 1/2	20780	0.57	34.93	20790	1.13	63.50
	1 1/2	00612	0.73	51.13	02301	1.45	92.96		3/4	20800	0.85	42.60	20810	1.70	77.46
	2	00205	0.97	64.11	01421	1.94	116.57		1	20820	1.13	50.18	20830	2.26	91.24
	2 1/2	01957	1.21	77.17	01416	2.42	140.30		1 1/4	20840	1.41	57.26	20850	2.82	104.09
	3	00492	1.45	90.16	01801	2.90	163.92		1 1/2	20860	1.69	64.94	20870	3.39	118.07
4	02326	1.93	116.25	00408	3.87	211.35	2		20880	2.26	80.11	20890	4.51	145.67	
5	11015	2.42	139.94	11145	4.84	254.43	2 1/2		20900	2.82	98.84	20910	5.64	179.71	
6	11020	2.90	165.29	11150	5.80	300.55	3		20920	3.38	110.71	20930	6.77	201.30	
8	11025	3.87	247.07	11155	7.74	449.21	4	20940	4.51	140.99	20950	9.02	256.33		
7/64	x 1/2	20660	0.28	25.22	20670	0.57	45.86	1/4	x 1/4	00182	0.33	45.19	00173	0.65	82.17
	3/4	20680	0.42	31.61	20690	0.85	57.47		5/16	11060	0.41	59.10	11190	0.81	107.47
	1	20700	0.57	37.82	20710	1.13	68.77		3/8	11065	0.49	30.22	11195	0.97	54.93
	1 1/4	20720	0.71	43.95	20730	1.41	79.89		1/2	00033	0.65	33.22	00108	1.29	60.38
	1 1/2	20740	0.85	50.31	20750	1.69	91.47		5/8	11070	0.81	36.21	11200	1.62	65.83
2	20760	1.13	62.80	20770	2.26	114.18	3/4	00278	0.97	40.18	00171	1.94	73.03		
1/8	x 1/4	11030	0.16	16.40	11160	0.33	29.81	1	00110	1.29	47.24	00051	2.58	85.87	
	3/8	11035	0.24	18.92	11165	0.49	34.38	1 1/4	00740	1.61	53.54	00416	3.23	97.35	
	1/2	00029	0.32	21.02	00049	0.65	38.21	1 1/2	00332	1.94	60.62	00132	3.87	110.22	
	5/8	01228	0.40	23.48	00885	0.81	42.68	1 3/4	03271	2.26	67.59	00661	4.51	122.88	
	3/4	00680	0.48	25.81	00275	0.97	46.94	2	00112	2.58	74.56	00094	5.16	135.56	
	1	00140	0.65	30.59	00072	1.29	55.61	2 1/2	00887	3.22	88.48	00329	6.45	160.88	
	1 1/4	01034	0.81	35.05	00183	1.61	63.72	3	00647	3.87	102.42	00156	7.74	186.21	
	1 1/2	01135	0.97	39.84	00172	1.94	72.42	3 1/2	02136	4.51	116.40	02243	9.02	211.62	
	1 3/4	01017	1.13	44.63	02156	2.26	81.15	4	01094	5.16	130.39	00305	10.31	237.06	
	2	00479	1.29	49.44	00143	2.58	89.87	5	01485	6.44	158.28	02050	12.89	287.77	
	2 1/2	03105	1.61	58.95	01535	3.22	107.17	6	01295	7.73	186.23	00884	15.46	338.62	
	3	01800	1.93	68.53	01620	3.87	124.57	8	11075	10.31	258.71	11205	20.62	470.38	
	3 1/2	01924	2.26	79.67	01423	4.51	144.85	10	20960	12.89	339.40	20970	25.77	617.08	
	4	01805	2.58	87.71	01785	5.16	159.49	12	20980	15.46	403.53	20990	30.92	733.69	
5	06225	3.22	106.81	02330	6.44	194.20	5/16	x 5/16	01560	0.51	51.11	02420	1.01	92.93	
6	02075	3.87	125.96	03085	7.73	229.02		3/8	11080	0.61	46.79	11210	1.22	85.06	
7	02808	4.51	171.27	00930	9.02	311.40		1/2	01097	0.81	38.93	00127	1.62	70.78	
8	00471	5.15	194.11	02926	10.31	352.94		5/8	11085	1.01	43.81	11215	2.02	79.63	
10	02377	6.44	239.46	03959	12.88	435.38		3/4	00470	1.21	46.88	00962	2.42	85.23	
12	01448	7.73	284.89	01998	15.46	517.98	1	00938	1.61	54.83	00199	3.23	99.68		
5/32	x 1/2	03245	0.40	27.03	01790	0.81	49.12	1 1/4	01630	2.02	62.05	02055	4.03	112.80	
	3/4	01290	0.61	33.17	02700	1.21	60.31	1 1/2	02170	2.42	70.11	01076	4.84	127.49	
	1	00188	0.81	39.46	01435	1.61	71.73	1 3/4	00510	2.82	78.07	03096	5.64	141.95	
	1 1/4	04615	1.01	45.30	04830	2.02	82.38								
	1 1/2	05320	1.21	51.44	01845	2.42	93.52								

AIR-TRUE AIR-HARDENING GROUND FLAT STOCK (Continued)

Regular and Oversize Tolerances

--- Size ---		----- 18" Length -----			----- 36" Length -----			--- Size ---		----- 18" Length -----			----- 36" Length -----								
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price						
5/16	x	2	02175	3.22	86.01	01049	6.45	156.36	7/8	x	7/8	01994	3.96	120.67	04214	7.91	219.41				
		2 1/2	02980	4.03	101.96	02140	8.06	185.39			1	05967	4.52	129.08	01452	9.04	234.70				
		3	02080	4.83	117.81	02145	9.67	214.22			1 1/4	11120	5.65	142.92	11250	11.29	259.88				
		3 1/2	02809	5.64	133.74	01386	11.28	243.14			1 1/2	01451	6.77	161.50	03976	13.55	293.63				
		4	03880	6.44	149.62	02060	12.89	272.03			2	01996	9.03	195.20	03961	18.06	354.89				
		5	05890	8.05	181.43	05020	16.11	329.88			2 1/2	11125	11.28	223.29	11255	22.56	406.01				
		6	05620	9.66	213.31	04835	19.33	387.84			3	07148	13.54	262.63	05972	27.07	477.51				
		8	21000	12.89	316.81	21010	25.77	576.01			4	05968	18.05	330.09	04216	36.09	600.16				
		10	21020	16.11	390.40	21030	32.21	709.82			6	07149	27.06	466.30	07157	54.12	847.80				
		12	21040	19.33	414.27	21050	38.65	753.21													
		3/8	x	3/8	01016	0.73	61.57	01130			1.46	111.95	1	x	1	01244	5.17	144.11	00867	10.33	262.02
				1/2	00413	0.97	47.54	00359			1.94	86.46			1 1/4	04269	6.45	161.16	02846	12.91	293.01
5/8	11090			1.21	53.34	11220	2.42	97.01	1 1/2	02137	7.74	179.57			01927	15.48	326.50				
3/4	00482			1.45	57.25	00145	2.91	104.07	1 3/4	11130	9.03	195.55			11260	18.06	355.54				
1	00157			1.94	66.86	00090	3.87	121.56	2	03272	10.32	216.68			03098	20.64	393.95				
1 1/4	01300			2.42	75.54	00581	4.84	137.35	2 1/2	04249	12.89	253.76			02812	25.79	461.37				
1 1/2	00419			2.90	85.22	00181	5.81	154.95	3	04271	15.47	290.78			04467	30.94	528.69				
1 3/4	01932			3.39	94.92	01157	6.77	172.58	4	02924	20.62	364.97			04251	41.25	663.57				
2	00164			3.87	104.57	00146	7.74	190.11	5	04211	25.78	440.59			04424	51.55	801.06				
2 1/2	01100			4.84	123.84	00965	9.67	225.15	6	01997	30.93	514.68			05973	61.86	935.79				
3	01635			5.80	143.14	00356	11.60	260.24	1 1/4	x	1 1/4	21160			8.07	220.65	21165	16.13	401.17		
3 1/2	02254			6.77	162.44	04076	13.54	295.32			1 1/2	21170			9.68	243.36	21175	19.35	442.48		
4	02085	7.73	181.72	00671	15.47	330.40	2	21180			12.90	316.12	21185	25.79	574.77						
5	02575	9.67	220.22	04570	19.33	400.40	2 1/2	21190			16.12	370.45	21195	32.24	673.53						
6	02985	11.60	258.88	01390	23.20	470.67	3	21200			19.34	437.61	21205	38.68	795.63						
8	11095	15.46	361.00	11225	30.92	656.37	4	21210			25.78	550.64	21215	51.56	1001.16						
10	21060	19.33	463.53	21070	38.65	842.77	5	21220	32.22	677.62	21225	64.44	1232.03								
12	21080	23.19	550.81	21090	46.38	1001.49	6	21230	38.66	794.84	21235	77.32	1445.17								
1/2	x	1/2	00854	1.29	57.67	02235	2.59	104.85	1-1/2	x	1 1/2	21240	11.61	308.81	21245	23.22	561.49				
		5/8	01926	1.62	63.37	02196	3.23	115.20			2	21250	15.48	364.35	21255	30.95	662.47				
		3/4	01140	1.94	69.04	00371	3.88	125.54			2 1/2	21260	19.34	443.81	21265	38.64	806.92				
		1	00383	2.58	80.46	00338	5.17	146.29			3	21270	23.21	523.19	21275	46.41	951.27				
		1 1/4	02180	3.23	91.23	02885	6.45	165.85			3 1/2	21280	27.05	590.96	21285	54.10	1074.47				
		1 1/2	02500	3.87	102.64	02065	7.74	186.62			4	21290	30.93	658.15	21295	61.87	1196.63				
		1 3/4	02948	4.51	114.06	04077	9.03	207.38			5	21300	38.64	811.03	21305	77.29	1474.61				
		2	00944	5.16	125.40	02780	10.32	228.01			6	21310	46.39	931.24	21315	92.78	1693.16				
		2 1/2	03110	6.45	148.25	03555	12.89	269.53			2	x	2	21320	20.64	483.71	21325	41.27	879.47		
		3	03465	7.74	171.02	02785	15.47	310.95					2 1/2	21330	25.76	576.22	21335	51.53	1047.69		
		3 1/2	04739	9.02	193.83	04078	18.05	352.41					3	21340	30.94	668.81	21345	61.88	1216.02		
		4	02990	10.31	216.67	02070	20.62	393.94					4	21350	42.25	877.89	21355	82.49	1596.17		
5	05625	12.89	263.70	05565	25.78	479.44	1/8	x	1/4	11265			0.19	17.06	11330	0.37	30.99				
6	04165	15.46	309.24	03090	30.93	562.26			3/8	11270			0.27	19.67	11335	0.55	35.77				
7	04116	18.04	395.60	04117	36.08	719.29			1/2	00117	0.36	21.86	00160	0.73	39.74						
8	21100	20.62	455.27	21110	41.23	827.75			5/8	01510	0.45	24.41	01105	0.90	44.39						
10	21120	25.77	551.73	21130	51.54	1003.16			3/4	01705	0.54	26.85	00941	1.08	48.80						
12	21140	30.92	647.93	21150	61.84	1178.05			1	00590	0.72	31.81	00218	1.43	57.83						
5/8	x	5/8	02624	2.02	78.51	01287	4.04	142.76	OVERSIZE TOLERANCE		1 1/4	02530	0.89	36.43	00812	1.79	66.26				
		3/4	00511	2.42	84.51	00496	4.85	153.68			1 1/2	02720	1.07	41.43	00758	2.14	75.31				
		1	01517	3.23	98.49	01332	6.46	179.07			1 3/4	04015	1.25	46.42	03815	2.50	84.40				
		1 1/4	11100	4.03	108.01	11230	8.07	196.37			2	01270	1.43	51.40	00623	2.85	93.46				
		1 1/2	01668	4.84	124.32	02951	9.68	226.03			2 1/2	04625	1.78	61.32	03180	3.56	111.47				
		2	00765	6.45	151.01	01866	12.90	274.57			3	03430	2.13	71.26	03310	4.27	129.55				
		2 1/2	04268	8.06	177.72	02844	16.12	323.11			3 1/2	03255	2.49	82.85	05570	4.98	150.64				
		3	05832	9.67	204.41	05971	19.34	371.69			4	03435	2.84	91.23	03400	5.69	165.87				
		4	03173	12.89	257.95	03627	25.78	468.98			5	06990	3.55	111.08	03820	7.10	201.97				
		5	04423	16.11	312.76	04466	32.22	568.65			6	03620	4.26	131.00	04575	8.52	238.18				
		6	00928	19.33	366.17	04212	38.66	665.77			7	08070	4.97	178.12	07850	9.94	323.86				
		8	11105	25.77	520.23	11235	51.54	945.88			8	08075	5.68	201.87	07855	11.35	367.04				
10	11110	32.21	626.64	11240	64.42	1139.34	10	08080	7.09	249.04	07860	14.19	452.79								
3/4	x	3/4	01243	2.91	98.04	01671	5.82	178.25	OVERSIZE TOLERANCE		12	04285	8.51	296.28	07865	17.02	538.68				
		1	01836	3.87	113.21	01427	7.75	205.84			5/32	x	1/2	04740	0.45	28.09	03405	0.89	51.09		
		1 1/4	00982	4.84	126.94	03097	9.68	230.78					3/4	02895	0.66	34.51	04140	1.33	62.73		
		1 1/2	01027	5.81	141.79	03984	11.61	257.80					1	00824	0.88	41.05	03055	1.76	74.60		
		1 3/4	11115	6.77	154.71	11245	13.54	281.28					1 1/4	05895	1.10	47.11	05960	2.20	85.67		
		2	00664	7.74	171.80	01867	15.48	312.37					1 1/2	06400	1.32	53.49	03450	2.63	97.25		
		2 1/2	03174	9.67	201.78	02811	19.34	366.87					2	04745	1.75	66.46	07290	3.50	120.84		
		3	04074	11.60	228.70	01387	23.21	415.81			2 1/2	06405	2.19	79.31	07870	4.37	144.22				
		4	00513	15.47	291.63	01075	30.93	530.24			3	06035									

AIR-TRUE AIR-HARDENING GROUND FLAT STOCK (Continued)

Oversize Tolerance

--- Size ---		---- 18" Length ----			---- 36" Length ----			--- Size ---		---- 18" Length ----			---- 36" Length ----						
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price				
5/32	x	4	06235	3.49	118.13	07295	6.98	214.78	3/8	x	2	00725	4.02	108.74	00644	8.04	197.70		
		5	06995	4.36	143.99	07300	8.72	261.82			2 1/2	02640	5.02	128.78	02390	10.03	234.16		
		6	06240	5.23	169.77	05835	10.46	308.67			3	03325	6.01	148.87	01052	12.03	270.65		
		8	06600	6.97	279.86	07305	13.94	508.85			3 1/2	06045	7.01	168.92	03730	14.03	307.14		
3/16	x	3/16	04020	0.21	51.61	05425	0.41	93.82	OVERSIZE TOLERANCE	4	03630	8.01	188.99	01650	16.02	343.61			
		3/8	11275	0.40	26.45	11340	0.80	48.11		4 1/2	03977	9.01	201.01	01388	18.02	365.45			
		1/2	01850	0.53	30.49	00815	1.06	55.41		5	04095	10.01	229.03	05845	20.02	416.42			
		5/8	11280	0.66	32.71	11345	1.31	59.49		6	04500	12.00	269.23	02955	24.01	489.50			
		3/4	03690	0.79	36.94	01395	1.57	67.14		7	04030	14.00	347.75	07110	28.00	632.27			
		1	00554	1.04	43.57	00935	2.09	79.23		8	07180	16.00	375.45	06520	32.00	682.62			
		1 1/4	04485	1.30	49.72	01210	2.60	90.39		10	06610	19.99	482.07	06525	39.98	876.49			
		1 1/2	04880	1.56	56.21	01495	3.12	102.19		12	08095	23.98	572.86	07875	47.97	1041.56			
		1 3/4	05475	1.82	62.83	05165	3.63	114.25		OVERSIZE TOLERANCE	7/16	x	3/4	20280	1.77	66.68	20290	3.54	121.25
		2	04025	2.07	69.49	01365	4.15	126.34			1		20300	2.35	77.77	20310	4.70	141.39	
		2 1/2	05225	2.59	82.61	02935	5.18	150.18			1 1/2		20320	3.51	100.30	20330	7.01	182.37	
		3	05900	3.10	95.81	04240	6.21	174.17			2		20340	4.67	123.14	20350	9.33	223.87	
3 1/2	07170	3.62	110.65	05575	7.24	201.20	2 1/2	20360	5.83		146.88		20370	11.65	267.06				
4	05230	4.13	122.18	01940	8.27	222.15	3	20380	6.99		170.14		20390	13.97	309.33				
5	05480	5.17	148.59	05695	10.33	270.15	4	20400	9.30		216.68		20410	18.61	393.95				
6	06245	6.20	174.92	05025	12.39	318.04	OVERSIZE TOLERANCE	1/2	x		1/2		02090	1.35	59.98	03735	2.71	109.05	
8	04490	8.26	270.20	05965	16.51	491.27		5/8			05630		1.68	65.90	03455	3.37	119.81		
10	08085	10.32	291.51	05970	20.64	530.03		3/4			02725		2.01	71.81	01079	4.03	130.55		
12	11285	12.38	405.73	11350	24.94	737.68		1			01115		2.67	83.69	01031	5.35	152.14		
1/4	x	1/4	00806	0.36	47.00	00767		0.71			85.47		1 1/4	03705	3.33	94.86	04360	6.67	172.48
		5/16	11290	0.44	61.47	11355		0.88		111.77	1 1/2	04035	3.99	106.75	03605	7.99	194.08		
		3/8	11295	0.52	31.43	11360		1.05		57.13	1 3/4	02049	4.65	118.63	05833	9.31	215.67		
		1/2	00131	0.69	34.54	00392		1.39		62.79	2	02350	5.31	130.42	04245	10.63	237.12		
		5/8	11300	0.86	37.66	11365		1.72		68.45	2 1/2	04630	6.63	154.17	05030	13.27	280.32		
		3/4	00947	1.03	41.78	00749		2.06		75.94	3	04960	7.96	177.86	04250	15.91	323.39		
		1	00398	1.37	49.12	00162		2.74		89.31	3 1/2	07005	9.28	201.59	06910	18.55	366.52		
		1 1/4	01855	1.71	55.68	01175		3.42		101.23	4	04505	10.60	225.33	03610	21.19	409.70		
		1 1/2	01019	2.05	63.04	00533	4.09	114.62	4 1/2	02847	11.92	240.18	04426	23.83	436.68				
		1 3/4	00320	2.38	70.29	01945	4.77	127.79	5	06615	13.24	274.25	06530	26.47	498.62				
		2	00425	2.72	77.54	00308	5.44	140.98	6	05635	15.88	321.61	04580	31.75	584.74				
		2 1/2	02185	3.40	92.02	01013	6.80	167.30	7	07700	18.52	415.04	07610	37.04	754.60				
3	01595	4.07	106.51	00689	8.15	193.66	8	07405	21.16	473.47	06370	42.32	860.86						
3 1/2	02940	4.75	121.05	03990	9.50	220.10	10	08100	26.44	573.80	06535	52.88	1043.28						
4	02630	5.43	135.60	00974	10.85	246.55	12	08105	31.72	673.85	07115	63.44	1225.19						
4 1/2	11305	6.10	142.98	11370	12.21	259.96	OVERSIZE TOLERANCE	9/16	x	2	02813	5.96	165.97	04217	11.92	301.78			
5	03115	6.78	164.61	03590	13.56	299.29		2 1/2		02814	7.44	169.06	04218	14.89	307.37				
6	02900	8.13	193.69	02150	16.26	352.16		3		02816	8.93	220.31	07163	17.85	400.55				
7	11310	9.48	251.04	06515	18.97	456.43		4		01999	11.89	279.71	05977	23.78	508.56				
8	04950	10.84	269.06	05170	21.67	489.19		OVERSIZE TOLERANCE		5/8	x	5/8	02020	2.09	81.66	03825	4.19	148.45	
10	06040	13.54	352.98	05840	27.08	641.77				3/4		02910	2.50	87.90	03830	5.01	159.81		
12	06765	16.25	419.66	05975	32.49	763.04				1		04510	3.33	102.43	03235	6.65	186.22		
5/16	x	5/16	03205	0.54	53.16	03935				1.09		96.63	1 1/4	03765	4.15	112.32	03835	8.29	204.23
		3/8	11315	0.65	48.65	11375				1.30		88.47	1 1/2	06410	4.97	129.31	05275	9.94	235.08
		1/2	02635	0.86	40.48	00437				1.72		73.62	2	06250	6.61	157.05	05585	13.22	285.55
		5/8	11320	1.07	45.54	11380				2.14		82.81	2 1/2	06775	8.25	184.82	07120	16.51	336.04
		3/4	01260	1.28	48.75	02385				2.55		88.64	3	06415	9.90	212.59	07880	19.79	386.55
		1	02310	1.70	57.02	00857	3.39		103.67	3 1/2		08110	11.54	235.51	07885	23.08	428.19		
		1 1/4	03320	2.11	64.52	03595	4.23		117.32	4		07185	13.18	268.26	07615	26.36	487.74		
		1 1/2	03695	2.53	72.92	02600	5.07		132.59	5		06780	16.46	325.27	07890	32.93	591.40		
		1 3/4	04955	2.95	81.19	06160	5.90		147.63	6		07410	19.75	380.82	07315	39.50	692.39		
		2	03700	3.37	89.45	02545	6.74	162.63	8	06785	26.32	541.04	07895	52.64	983.71				
		2 1/2	04495	4.21	106.04	03660	8.41	192.79	10	08115	32.89	651.69	07620	65.78	1184.92				
		3	03625	5.04	122.53	03665	10.09	222.78	OVERSIZE TOLERANCE	3/4	x	3/4	05065	3.00	101.96	04915	5.99	185.39	
3 1/2	05235	5.88	139.07	05580	11.76	252.88	1	02405		3.98		117.74	02395	7.96	214.08				
4	05330	6.72	155.60	03600	13.44	282.92	1 1/4	05335		4.96		132.00	05850	9.92	240.02				
5	06770	8.39	188.69	06165	16.79	343.07	1 1/2	05485		5.94		147.45	07125	11.88	268.10				
6	06605	10.07	221.84	05980	20.14	403.37	1 3/4	05978		6.92		160.90	02848	13.85	292.54				
8	07175	13.42	329.48	06170	26.83	599.05	2	05640		7.91		178.67	06175	15.81	324.85				
3/8	x	3/8	02505	0.77	64.04	02705	1.55	116.44		2 1/2		06620	9.87	209.84	06685	19.74	381.54		
		1/2	01165	1.02	49.46	01067	2.05	89.92		3		06255	11.84	237.84	05280	23.67	432.46		
		5/8	1																

AIR-TRUE AIR-HARDENING GROUND FLAT STOCK (Continued)

Overize Tolerance

--- Size ---		----- 18" Length -----				----- 36" Length -----				--- Size ---		----- 18" Length -----				----- 36" Length -----					
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price			
3/4	x	8	07420	31.48	611.74	04450	62.96	1112.22	1	x	6	06260	31.37	535.27	07645	62.73	973.22				
			07705	39.34	739.89	07900	78.67	1345.25				06430	41.80	761.22	07650	83.60	1384.05				
			08120	47.19	868.20	07905	94.39	1578.56				02002	62.67	1448.42	04433	125.34	2633.49				
7/8	x	7/8	08125	4.06	125.51	02960	8.12	228.19	1 1/4	x	1 1/4	01959	8.21	229.47	03963	16.43	417.22				
			05490	4.63	134.25	07910	9.26	244.08				04221	9.84	253.09	03631	19.68	460.18				
			07425	5.77	148.66	06920	11.55	270.28				2	00514	13.09	328.78	04436	26.18	597.75			
			07710	6.92	167.96	07630	13.83	305.37				2 1/2	02818	16.34	385.26	02851	32.69	700.47			
			07430	9.20	203.00	05285	18.41	369.08				3	04469	19.60	455.10	07196	39.19	827.46			
			06425	11.49	232.23	07635	22.98	422.24				4	02819	26.10	572.66	04437	52.20	1041.21			
			07435	13.78	273.14	07325	27.55	496.60				5	02849	32.61	704.73	05996	65.21	1281.30			
			07164	16.06	301.93	07169	32.12	548.98				6	04223	39.11	826.64	07199	78.22	1502.99			
			07715	18.35	343.31	07330	36.70	624.17				1 1/2	x	1 1/2	00666	11.79	321.17	04252	23.57	583.95	
			04429	22.92	451.67	07171	45.84	821.22							2	02933	15.68	378.93	02952	31.37	688.96
			08130	27.49	484.94	07915	54.99	881.73							2 1/2	04224	19.58	461.56	04227	39.16	839.21
1	x	1	03635	5.28	149.88	05855	10.56	272.51	3	3 1/2	3 1/2	04438	27.37	614.58	03633	54.75	1117.44				
			04515	6.59	167.61	06375	13.17	304.74				4	04471	31.27	684.48	03634	62.54	1244.50			
			05735	7.89	186.75	06180	15.78	339.55				5	07208	39.06	843.47	07214	78.13	1533.60			
			02001	9.19	203.36	04432	18.39	369.76				6	04226	46.86	968.48	04439	93.71	1760.88			
			04170	10.50	225.33	05700	21.00	409.72				2	x	2	02267	20.87	503.06	04276	41.74	914.64	
			07015	13.11	263.90	07920	26.22	479.83							2 1/2	02821	26.05	599.26	07216	52.11	1089.58
			05645	15.72	302.42	07925	31.43	549.84							3	02822	31.24	695.56	02823	62.48	1264.65
			07020	18.32	334.09	07640	36.65	607.43							4	03964	41.61	913.00	04228	83.21	1660.01
			05495	20.93	379.56	07930	41.87	690.10													
04219	23.54	410.37	04222	47.08	746.14																
07440	26.15	458.21	07935	52.30	833.11																

ARISTOCRAT
Air-hardening Ground Flat Stock

AISI/SAE TYPE D-2

Regular Tolerance

--- Size ---		----- 18" Length -----				----- 36" Length -----				--- Size ---		----- 18" Length -----				----- 36" Length -----			
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	
1/16	x	1/2	30010	0.16	22.20	30020	0.32	41.87	5/32	x	1/2	30650	0.40	36.60	30660	0.81	69.04		
			30030	0.24	29.85	30040	0.48	56.31				3/4	30670	0.61	45.37	30680	1.21	85.62	
			30050	0.32	34.19	30060	0.65	64.49				1	30690	0.81	54.23	30700	1.61	102.30	
			30070	0.40	39.90	30080	0.81	75.30				1 1/4	30710	1.01	62.25	30720	2.02	117.47	
			30090	0.48	45.96	30100	0.97	86.68				1 1/2	30730	1.21	70.97	30740	2.42	133.90	
			30110	0.64	57.79	30120	1.29	109.05				2	30750	1.61	88.51	30760	3.23	167.00	
			31950	0.81	70.01	31960	1.61	132.09				2 1/2	30770	2.02	105.94	30780	4.03	199.88	
			30130	0.97	74.21	30140	1.93	140.01				3	30790	2.42	123.40	30800	4.84	232.83	
			30150	1.29	106.13	30160	2.58	200.24				4	30810	3.22	158.42	30820	6.45	298.91	
			30170	1.61	153.09	30180	3.22	288.84				5	30830	4.03	193.44	30840	8.06	364.99	
30190	1.93	224.22	30200	3.87	423.06	6	30850	4.83	228.37	30860	9.67	430.89							
3/32	x	1/2	30210	0.24	29.22	30220	0.49	55.13	3/16	x	1/2	30870	0.49	39.28	30880	0.97	74.11		
			30230	0.36	36.64	30240	0.73	69.14				3/4	30890	0.73	48.12	30900	1.45	90.79	
			30250	0.48	44.19	30260	0.97	83.36				1	30910	0.97	56.96	30920	1.94	107.48	
			30270	0.61	51.36	30280	1.21	96.88				1 1/4	30930	1.21	59.39	30940	2.42	112.06	
			30290	0.73	58.94	30300	1.45	111.19				1 1/2	30950	1.45	73.34	30960	2.90	138.35	
			30310	0.97	73.84	30320	1.94	139.32				2	30970	1.93	91.40	30980	3.87	172.47	
			30330	1.21	88.91	30340	2.42	167.75				2 1/2	30990	2.42	108.97	31000	4.84	205.62	
			30350	1.45	103.93	30360	2.90	196.10				3	31010	2.90	126.67	31020	5.80	238.99	
			30370	1.93	133.92	30380	3.87	252.68				4	31030	3.87	161.98	31040	7.73	305.63	
			30390	2.42	183.16	30400	4.84	345.59				5	31050	4.83	197.32	31060	9.67	372.30	
30410	2.90	210.65	30420	5.80	397.44	6	31070	5.80	232.58	31080	11.60	438.83							
1/8	x	1/2	30430	0.32	29.37	30440	0.65	55.41	1/4	x	1/2	31090	0.65	42.90	31100	1.29	80.95		
			30450	0.48	37.79	30460	0.97	71.29				3/4	31110	0.97	52.22	31120	1.94	98.51	
			30470	0.65	44.93	30480	1.29	84.77				1	31130	1.29	61.49	31140	2.58	116.03	
			30490	0.81	49.25	30500	1.61	92.94				1 1/4	31150	1.61	69.76	31160	3.23	131.63	
			30510	0.97	56.09	30520	1.94	105.85				1 1/2	31170	1.94	79.12	31180	3.87	149.28	
			30530	1.29	69.92	30540	2.58	131.91				2	31190	2.58	97.56	31200	5.16	184.10	
			30550	1.61	83.74	30560	3.22	158.00				2 1/2	31210	3.22	116.10	31220	6.45	219.06	
			30570	1.93	97.60	30580	3.87	184.15				3	31230	3.87	134.58	31240	7.74	253.90	
			30590	2.58	125.11	30600	5.16	236.03				4	31250	5.16	171.60	31260	10.31	323.76	
			30610	3.22	152.63	30620	6.44	287.98				5	31270	6.44	208.45	31280	12.89	393.28	
30630	3.87	180.23	30640	7.73	340.06	6	31290	7.73	246.37	31300	15.46	464.85							

ARISTOCRAT AIR-HARDENING GROUND FLAT STOCK (Continued)

Regular and Oversize Tolerances

--- Size ---		--- 18" Length ---			--- 36" Length ---			--- Size ---		--- 18" Length ---			--- 36" Length ---					
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price			
5/16	x	1/2	31310	0.81	50.96	31320	1.62	96.16	1	x	5	32320	25.78	587.32	32315	51.55	1108.15	
		3/4	31330	1.21	61.83	31340	2.42	116.65			6	32330	30.93	721.42	32325	61.86	1361.16	
	1	31350	1.61	72.75	31360	3.23	137.25	OVERSIZE TOLERANCE		1/8	x	1/2	03950	0.36	31.13	02100	0.73	58.74
	1 1/4	31370	2.02	82.49	31380	4.03	155.65					3/4	02005	0.54	40.04	01695	1.08	75.55
	1 1/2	31390	2.42	93.43	31400	4.84	176.31				1	01895	0.72	47.63	01500	1.43	89.85	
	2	31410	3.22	115.12	31420	6.45	217.21				1 1/4	06435	0.89	52.21	01990	1.79	98.50	
	2 1/2	31430	4.03	136.79	31440	8.06	258.10				1 1/2	03260	1.07	59.47	02605	2.14	112.21	
	3	31450	4.83	158.55	31460	9.67	299.16				2	03495	1.43	74.11	02290	2.85	139.82	
	4	31470	6.44	201.97	31480	12.89	381.08				2 1/2	06790	1.78	88.77	04585	3.56	167.48	
	5	31490	8.05	245.21	31500	16.11	462.63				3	02830	2.13	103.47	04455	4.27	195.21	
6	31510	9.66	289.56	31520	19.33	546.34	4	04100	2.84	132.60	02240	5.69	250.20					
3/8	x	1/2	31530	0.97	62.05	31540	1.94	117.07	5	07195	3.55	161.78	04255	7.10	305.26			
		3/4	31550	1.45	76.19	31560	2.91	143.75	6	03710	4.26	191.04	05590	8.52	360.46			
	1	31570	1.94	88.33	31580	3.87	166.67	OVERSIZE TOLERANCE	5/32	x	1/2	05740	0.45	38.79	02610	0.89	73.18	
	1 1/4	31590	2.42	100.37	31600	4.84	189.38				3/4	07025	0.66	48.10	02710	1.33	90.76	
	1 1/2	31610	2.90	113.41	31620	5.81	214.00			1	02025	0.88	57.47	02335	1.76	108.44		
	2	31630	3.87	139.77	31640	7.74	263.72			1 1/4	07200	1.10	66.00	06540	2.20	124.52		
	2 1/2	31650	4.84	165.93	31660	9.67	313.06			1 1/2	07445	1.32	75.22	02295	2.63	141.93		
	3	31670	5.80	192.29	31680	11.60	362.82			2	07450	1.75	93.82	04715	3.50	177.02		
	4	31690	7.73	244.75	31700	15.47	461.79			2 1/2	07455	2.19	112.30	06925	4.37	211.88		
	5	31710	9.67	297.23	31720	19.33	560.81			3	07460	2.62	130.80	06690	5.24	246.79		
6	31730	11.60	349.84	31740	23.20	660.07	4	07205	3.49	167.92	06545	6.98	316.83					
1/2	x	3/4	31750	1.94	90.07	31760	3.88	169.95	5	07210	4.36	205.04	06695	8.72	386.88			
		1	31770	2.58	105.48	31780	5.17	199.03	6	07465	5.23	242.07	06930	10.46	456.74			
	1 1/4	31790	3.23	116.83	31800	6.45	220.44	OVERSIZE TOLERANCE	3/16	x	1/2	05070	0.53	41.64	02245	1.06	78.56	
	1 1/2	31810	3.87	135.61	31820	7.74	255.88				3/4	03500	0.79	51.01	01655	1.57	96.24	
	2	31830	5.16	166.14	31840	10.32	313.47			1	03885	1.04	60.39	01540	2.09	113.93		
	2 1/2	31850	6.45	197.31	31860	12.89	372.28			1 1/4	07470	1.30	62.95	01055	2.60	118.79		
	3	31870	7.74	228.22	31880	15.47	430.59			1 1/2	05240	1.56	77.72	01250	3.12	146.65		
	4	31890	10.31	289.87	31900	20.62	546.93			2	06050	2.07	96.90	03185	4.15	182.83		
	5	31910	12.89	353.07	31920	25.78	666.17			2 1/2	07030	2.59	115.51	02205	5.18	217.96		
	6	31930	15.46	414.74	31940	30.93	782.55			3	06265	3.10	134.27	04145	6.21	253.33		
5/8	x	5/8	32060	2.02	112.88	32055	4.04	212.97	4	07035	4.13	171.71	04075	8.27	323.97			
		3/4	32020	2.42	128.76	32015	4.85	242.94	5	06795	5.17	209.16	05860	10.33	394.64			
	1	31990	3.23	144.62	31985	6.46	272.87	6	06800	6.20	246.53	04920	12.39	465.15				
	1 1/4	31980	4.03	151.49	31975	8.07	285.84	OVERSIZE TOLERANCE	1/4	x	1/2	01022	0.69	45.47	00377	1.39	85.79	
	1 1/2	31970	4.84	158.36	31965	9.68	298.79				3/4	01710	1.03	55.34	01455	2.06	104.43	
	2	32010	6.45	172.09	32005	12.90	324.70			1	02315	1.37	65.19	00674	2.74	122.99		
	2 1/2	32000	8.06	203.33	31995	16.12	383.65			1 1/4	03060	1.71	73.95	00635	3.42	139.54		
	3	32030	9.67	234.40	32025	19.34	442.26			1 1/2	00761	2.05	83.86	00464	4.09	158.25		
	4	32040	12.89	300.96	32035	25.78	567.85			2	04390	2.72	103.42	01215	5.44	195.14		
	5	32050	16.11	373.16	32045	32.22	704.08			2 1/2	05340	3.40	123.06	03190	6.80	232.19		
6	32070	19.33	449.86	32065	38.66	848.81	3			04750	4.07	142.64	01400	8.15	269.13			
3/4	x	3/4	32130	2.91	116.40	32125	5.82	219.63	4	05075	5.43	181.90	02480	10.85	343.19			
		1	32100	3.87	164.45	32095	7.75	310.29	5	05500	6.78	220.95	05430	13.56	416.88			
	1 1/4	32090	4.84	170.29	32085	9.68	321.30	6	06440	8.13	261.14	03410	16.26	492.73				
	1 1/2	32080	5.81	176.14	32075	11.61	332.32	OVERSIZE TOLERANCE	5/16	x	1/2	01665	0.86	54.02	05175	1.72	101.93	
	2	32120	7.74	187.78	32115	15.48	354.29				3/4	02995	1.28	65.54	02550	2.55	123.66	
	2 1/2	32110	9.67	234.38	32105	19.34	442.20			1	05505	1.70	77.11	03670	3.39	145.49		
	3	32140	11.60	280.92	32135	23.21	530.04			1 1/4	07215	2.11	87.46	01545	4.23	165.01		
	4	32150	15.47	367.52	32145	30.93	693.45			1 1/2	04040	2.53	99.04	04460	5.07	186.88		
	5	32160	19.33	436.87	32155	38.66	824.28			2	06270	3.37	122.02	03840	6.74	230.23		
	6	32170	23.20	531.36	32165	46.39	1002.57			2 1/2	06275	4.21	144.99	04260	8.41	273.58		
7/8	x	7/8	32240	3.96	128.22	32235	7.91			241.91	3	04755	5.04	168.09	03095	10.09	317.13	
		1	32190	4.52	180.78	32185	9.04	341.11	4	06625	6.72	214.11	05595	13.44	403.96			
	1 1/2	32180	6.77	188.19	32175	13.55	355.08	5	06805	8.39	259.90	05985	16.79	490.39				
	2	32200	9.03	229.87	32195	18.06	433.72	6	07040	10.07	306.95	04840	20.14	579.14				
	3	32210	13.54	326.88	32205	27.07	616.76	OVERSIZE TOLERANCE	3/8	x	1/2	00860	1.02	65.77	01082	2.05	124.09	
	4	32220	18.05	420.93	32215	36.09	794.22				3/4	00890	1.52	80.75	00407	3.04	152.37	
	1	x	1	32270	5.17	136.41	32265			10.33	257.37	1	03210	2.02	93.65	00989	4.04	176.68
			1 1/4	32260	6.45	165.60	32255			12.91	312.46	1 1/4	02835	2.52	106.39	00731	5.04	200.73
			1 1/2	32250	7.74	194.78	32245			15.48	367.51	1 1/2	03000	3.02	120.23	00710	6.04	226.85
			2	32290	10.32	253.13	32285			20.64	477.60	2	03120	4.02	148.17	03740	8.04	279.55
2 1/2			32280	12.89	312.97	32275	25.79			590.50	2 1/2	02260	5.02	175.86	04365	10.03	331.85	
3			32300	15.47	372.59	32295	30.94			703.01	3	02120	6.01	203.83	03845	12.03	384.59	
4	32310	20.62	474.37	32305	41.25	895.02	4	05345	8.01	259.44	03565	16.02	489.50					
								5	06445	10.01	315.06	05705	20.02	594.46				
								6	05745	12.00	370.83	04370	24.					

ARISTOCRAT AIR-HARDENING GROUND FLAT STOCK (Continued)

Overize Tolerance

--- Size ---		--- 18" Length ---			--- 36" Length ---			--- Size ---		--- 18" Length ---			--- 36" Length ---							
Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	UPC No.	Weight	List Price					
1/2	x	1/2	20260	1.35	85.15	20270	2.71	160.67	3/4	x	1 1/4	03176	4.96	180.51	03968	9.92	340.58			
			04635	2.01	95.48	04590	4.03	180.15				00516	5.94	186.70	02013	11.88	352.26			
		OVERSIZE TOLERANCE	1	06055	2.67	111.81	05435	5.35			210.96	OVERSIZE TOLERANCE	2	03177	7.91	199.04	04258	15.81	375.55	
				07475	3.33	123.85	05180	6.67			233.67			2 1/2	07218	9.87	248.43	03969	19.74	468.73
				05905	3.99	143.76	05990	7.99			271.23				3	04106	11.84	297.76	02014	23.67
				04290	5.31	176.11	06550	10.63			332.28			4	02008	15.76	389.58	07223	31.53	735.04
				07220	6.63	209.15	05995	13.27			394.62				5	05998	19.69	463.09	06004	39.39
				06060	7.96	241.91	06185	15.91			456.43			6	02009	23.62	563.25	04442	47.24	1062.72
				06065	10.60	307.26	06190	21.19			579.74				7/8	03637	4.06	135.92	07224	8.12
				07225	13.24	374.25	06935	26.47			706.15			1		02011	4.63	185.52	04443	9.26
05650	15.88	439.65	06700	31.75	829.51	1 1/2	03638	6.92	199.48	07226	13.83	376.38								
5/8	x	5/8	02004	2.09	119.66		04079	4.19	225.77	OVERSIZE TOLERANCE	1	1	02824	5.28	144.59	04107	10.56	272.82		
			04103	2.50	136.48	04744	5.01	257.51	1 1/4				04272	6.59	175.54	04444	13.17	331.21		
		OVERSIZE TOLERANCE	1	00931	3.33	153.28	03979	6.65				289.22	OVERSIZE TOLERANCE	1 1/2	03178	7.89	206.47	03641	15.78	389.57
				04253	4.15	160.58	06002	8.29	302.98			2			04472	10.50	268.32	04233	21.00	506.25
				04743	4.97	167.87	02012	9.94	316.73						2 1/2	03967	13.11	331.74	04234	26.22
				04104	6.61	182.41	04232	13.22	344.17			3				04254	15.72	394.94	03642	31.43
				03966	8.25	215.55	07221	16.51	406.67			4			02852	20.93	502.82	04446	41.87	948.72
				03636	9.90	248.47	03639	19.79	468.80						5	04231	26.15	622.55	06006	52.30
				05997	13.18	319.01	07222	26.36	601.92			6			06001	31.37	764.69	04447	62.73	1442.82
				02006	16.46	395.56	04256	32.93	746.32						OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE
02007	19.75	476.87	06003	39.50	899.75															
3/4	x	3/4	02953	3.00	123.38	04273	5.99	232.79	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE	OVERSIZE TOLERANCE				
		1	03978	3.98	174.33	04257	7.96	328.91												

MARSHALLCRAT
Low-carbon Ground Flat Stock

Regular Tolerance

--- Size ---		--- 24" Length ---			--- Size ---		--- 24" Length ---			--- Size ---		--- 24" Length ---					
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price			
1/16	x	1/2	00025	0.22	19.28	1/8	x	1/2	00011	0.43	23.25	3/16	x	3/16	02465	0.25	32.60
			00081	0.32	23.34				00054	0.65	27.79				00118	0.65	40.25
		1	00129	0.43	27.77			1	00028	0.86	32.60			3/4	00092	0.97	45.69
			00284	0.54	32.19				00446	1.08	36.12				00115	1.29	54.26
		1 1/4	00198	0.65	36.49			1 1/4	00039	1.29	43.09			1 1/4	00165	1.62	58.67
			00166	0.86	47.06				00066	1.72	49.93				00167	1.94	65.75
		2	00548	1.08	57.05			2	00105	2.15	59.05			1 1/2	00296	2.58	79.95
			00845	1.29	65.32				00206	2.58	66.78				00455	3.23	95.28
		2 1/2	00527	1.51	74.38			3 1/2	02750	3.01	76.14			3	00629	3.87	106.61
			00362	1.72	83.25				00152	3.44	83.16				04350	4.52	122.59
		4	02680	2.15	100.56			4	00575	4.30	100.93			3 1/2	00821	5.16	137.47
			00617	2.58	121.07				00177	5.16	120.34				03295	6.45	166.48
8	01425	3.44	161.12	6	00716	6.88	156.91	4	00599	7.74	199.71						
	06140	4.30	194.55		00716	6.88	156.91		01985	10.32	249.02						
10	04345	5.16	233.86	10	01685	8.60	192.46	6	04700	12.90	297.47						
	12	04345	5.16		233.86	12	00971		10.32	228.37	8	00998	15.48	347.42			
3/32				x				1/2							00057	0.32	24.01
	00755	0.49	29.46		00542	0.81	32.80		1/2	00053	0.86	39.05					
1	00026	0.65	34.65	1	00365	1.08	38.30	3/4		00052	1.29	44.35					
	01610	0.81	39.14		02515	1.35	40.18		1	00109	1.72	52.00					
1 1/4	00905	0.97	44.44	1 1/4	01880	1.62	45.80	1 1/4	00096	2.15	59.40						
	00785	1.29	54.97		01360	2.15	55.44		1 1/2	00158	2.58	64.52					
2	02685	1.61	65.24	2	03040	2.69	66.03	2	00036	3.44	78.22						
	01935	1.94	75.71		03540	3.23	73.89		2 1/2	00088	4.30	92.35					
2 1/2	02810	2.26	86.42	3 1/2	04065	3.77	84.85	3	00102	5.16	105.76						
	00839	2.58	95.64		01770	4.30	93.98		3 1/2	00293	6.02	118.06					
3	03655	3.23	112.08	4	04440	5.38	113.97	4	00149	6.88	132.79						
	01530	3.87	138.30		01810	6.45	134.54		5	00668	8.60	158.09					
6	04555	5.16	179.96	6	06680	8.60	174.11	6	00168	10.32	187.91						
	05680	6.45	221.83		05685	10.75	213.00		8	00260	13.76	237.78					
10	03290	7.74	264.30	12	03395	12.90	252.51	8	00260	13.76	237.78						
	12	03290	7.74		264.30	12	03395					12.90	252.51				

MARSHALLCRAT® LOW-CARBON GROUND FLAT STOCK (Continued)

Regular Tolerance

--- Size ---					--- Size ---					--- Size ---												
		----- 24" Length -----					----- 24" Length -----					----- 24" Length -----										
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price								
1/4	x	10	01870	17.20	284.25	5/8	x	7	03545	30.11	318.55	1 1/2	x	1 1/2	02475	15.50	225.79					
			00842	20.64	332.37				02135	34.41	356.59				01755	20.66	261.13					
5/16	x	5/16	00926	0.68	41.03	3/4	x	3/4	03971	38.70	401.37	2	1/2	2 1/2	03980	25.82	294.14					
			00130	1.08	45.98				04560	43.00	430.85				02325	30.98	327.38					
			00578	1.62	52.12				03045	51.60	500.89				06150	36.14	359.05					
			00602	2.16	61.48				1 1/2	1	1 1/2				04910	41.30	393.32					
			00914	2.69	66.68										00195	3.88	86.78	05155	51.62	461.13		
			00509	3.23	74.49										00089	5.17	107.53	05160	61.94	520.59		
			00686	4.30	89.04										00881	6.46	116.82	02827	72.25	612.51		
			02195	5.38	103.59										00368	7.75	128.53	05015	82.57	658.71		
			01007	6.45	117.85										2	00353	10.33	149.80	03643	92.89	724.52	
			02690	7.53	133.24										2 1/2	01335	12.91	170.34	05690	103.21	782.24	
			01750	8.60	148.69										3	00269	15.49	192.95	01453	123.85	974.26	
			02595	10.75	176.74										3 1/2	01645	18.07	214.16	SQUARES			
			01615	12.90	208.44										4	04130	20.65	233.69	2	03050	27.55	327.69
			04108	15.05	243.42										5	01004	25.81	275.93	2 1/4	03973	34.86	391.01
04210	17.20	270.41	6	00788	30.97	320.25	2 1/2	04235				43.04	443.56									
04448	19.35	275.84	7	01885	36.13	361.29																
02930	21.50	325.87	8	01245	41.29	407.76																
05010	25.80	374.73	9	05150	46.45	442.70																
			10	03355	51.60	480.24																
			12	02770	61.92	555.57																
3/8	x	3/8	00041	0.97	47.73	7/8	x	7/8	04135	5.28	115.60											
			00097	1.30	52.30				1	02815	6.03	122.24										
			00045	1.94	57.65				1 1/4	02755	7.54	133.30										
			00064	2.59	67.85				1 1/2	03080	9.04	143.86										
			00137	3.23	74.49				2	04220	12.05	169.88										
			00099	3.88	80.56				2 1/2	04225	15.06	190.56										
			00082	5.17	95.53				3	04705	18.07	211.02										
			00401	6.46	114.53				3 1/2	05830	21.08	234.60										
			00314	7.75	122.81				4	04070	24.09	258.35										
			01585	9.03	143.87				5	02853	30.11	317.68										
			00203	10.32	155.98				6	05955	36.13	350.63										
			00659	12.90	191.74				7	03952	42.15	407.14										
			00809	15.48	224.36				8	02378	48.17	457.94										
			03350	18.06	255.58				9	02016	54.19	512.14										
01775	20.64	284.25	10	04236	60.21	554.06																
04445	23.22	314.81	12	04473	72.24	637.73																
03170	25.80	345.15																				
02880	30.96	397.34																				
7/16	x	7/16	06885	1.32	62.76	1	x	1	00187	6.90	129.22											
									1 1/4	00746	8.62	145.96										
									1 1/2	00791	10.34	158.80										
									2	00212	13.77	183.89										
									2 1/2	01480	17.21	206.91										
									3	00605	20.65	229.94										
									3 1/2	03300	24.09	256.04										
									4	00683	27.53	275.67										
									5	02015	34.41	332.26										
									6	00986	41.29	364.78										
									7	03175	48.17	417.50										
									8	01690	55.05	468.93										
									9	04825	61.93	524.42										
									10	03305	68.81	565.50										
			12	01490	82.56	635.53																
							1 1/8	x	1 1/8	06145	8.73	155.76										
							1 1/4	x	1 1/4	02285	10.77	173.62										
										1 1/2	02695	12.92	194.00									
										2	01155	17.22	221.47									
										2 1/2	04710	21.52	251.94									
										3	02470	25.82	278.84									
										3 1/2	05836	30.12	306.36									
										4	05405	34.42	335.43									
										5	05410	43.01	399.73									
										6	04230	51.61	443.22									
										7	04109	60.21	526.13									
										8	05415	68.81	574.40									
										9	04111	77.41	627.56									
										10	05420	86.01	680.54									
										12	03930	103.20	777.89									
5/8	x	5/8	00497	2.70	73.62																	
			00593	3.24	79.00																	
			00230	4.31	90.50																	
			01305	5.38	103.14																	
			01330	6.46	112.43																	
			00587	8.61	132.14																	
			01780	10.76	149.18																	
			00959	12.91	169.27																	
			02045	15.06	186.35																	
			01150	17.21	205.46																	
			01010	21.51	247.31																	
			02415	25.81	282.55																	

PreMar 440C Stainless Knife Steel Ground Flat Stock

AISI/SAE TYPE 440C

Oversize Tolerance

--- Size ---					--- Size ---					--- Size ---								
----- 24" Length -----					----- 24" Length -----					----- 24" Length -----								
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price				
OVERSIZE TOLERANCE	1/16 x	1/2	26052	0.26	58.32	OVERSIZE TOLERANCE	5/16 x	1 1/2	26186	3.38	99.68	OVERSIZE TOLERANCE	3/4 x	1 1/2	26320	7.92	139.15	
		3/4	26054	0.39	63.36			2	26188	4.49	105.16			2	26322	10.54	180.52	
	1	26056	0.52	68.76	2 1/2		26190	5.61	132.87	2 1/2	26324		13.16	202.61				
	1 1/4	26058	0.65	74.15	3		26192	6.73	157.24	3	26326		15.78	233.23				
	1 1/2	26060	0.78	79.35	3 1/2		26194	7.84	181.66	3 1/2	26328		18.40	239.14				
	2	26062	1.04	92.29	4		26196	8.96	187.49	4	26330		21.02	260.28				
	2 1/2	26064	1.29	104.61	5		26198	11.19	229.99	5	26332		26.26	369.10				
	3	26066	1.55	114.72	6		26200	13.42	253.85	6	26334		31.50	401.48				
	3 1/2	26068	1.81	125.80	8		26202	17.89	342.85	7	26336		36.73	443.75				
	4	26070	2.07	136.67	9		26204	20.12	379.17	8	26338		41.97	499.62				
	5	26072	2.58	157.83	10		26206	22.36	417.68	9	26340		47.21	573.80				
	6	26074	3.10	183.02	12		26208	26.82	532.00	10	26342		52.45	653.90				
OVERSIZE TOLERANCE	1/8 x	1/2	26082	0.48	58.04	OVERSIZE TOLERANCE	3/8 x	3/8	26210	1.03	76.00	OVERSIZE TOLERANCE	7/8 x	7/8	26346	5.41	131.85	
		3/4	26084	0.72	63.85			1/2	26212	1.36	69.09			1	26348	6.17	136.51	
	1	26086	0.96	69.79	3/4		26214	2.03	82.92	1 1/4	26350		7.70	146.63				
	1 1/4	26088	1.19	74.28	1		26216	2.70	84.52	1 1/2	26352		9.22	156.70				
	1 1/2	26090	1.43	82.95	1 1/4		26218	3.36	86.77	2	26354		12.27	155.73				
	2	26092	1.90	91.66	1 1/2		26220	4.03	103.38	2 1/2	26356		15.32	205.73				
	2 1/2	26094	2.37	103.16	2		26222	5.36	119.96	3	26358		18.37	234.58				
	3	26096	2.85	112.90	2 1/2		26224	6.69	143.47	3 1/2	26360		21.42	275.29				
	3 1/2	26098	3.32	124.48	3		26226	8.02	144.51	4	26362		24.46	316.13				
	4	26100	3.79	133.49	4		26230	10.68	211.74	6	26364		36.66	344.07				
	5	26102	4.73	155.85	5		26232	13.34	251.80	OVERSIZE TOLERANCE	1 x		1	26366	7.04	166.33		
	6	26104	5.68	180.20	6		26234	16.01	273.97				1 1/4	26368	8.78	172.17		
8	26106	7.57	226.26	7	26236	18.67	345.37	1 1/2	26370		10.52	177.98						
10	26108	9.46	270.98	8	26238	21.33	381.22	2	26372		14.00	199.34						
12	26110	11.35	315.98	9	26240	23.99	430.95	2 1/2	26374		17.48	223.25						
OVERSIZE TOLERANCE	3/16 x	3/16	26112	0.27	55.16	OVERSIZE TOLERANCE	1/2 x	1/2	26246		1.80	71.98	OVERSIZE TOLERANCE	1 1/4 x	1 1/4	26396	10.95	193.30
		1/2	26114	0.70	65.12			3/4	26248		2.68	85.96			1 1/2	26398	13.12	198.04
	3/4	26116	1.05	71.92	1		26250	3.56	93.04		2	26400		17.46	245.07			
	1	26118	1.39	82.65	1 1/4		26252	4.45	100.03		2 1/2	26402		21.79	246.90			
	1 1/4	26120	1.73	88.14	1 1/2		26254	5.33	107.77		3	26404		26.13	306.53			
	1 1/2	26122	2.08	97.22	2		26256	7.09	123.56		3 1/2	26406		30.47	334.84			
	2	26124	2.77	115.01	2 1/2		26258	8.85	154.59		4	26408		34.80	370.81			
	2 1/2	26126	3.45	134.36	3		26260	10.61	161.38	5	26410	43.48		414.83				
	3	26128	4.14	148.61	3 1/2		26262	12.37	194.68	6	26412	52.15		458.77				
	3 1/2	26130	4.83	168.69	4		26264	14.13	200.36	7	26414	60.82		532.72				
	4	26132	5.51	187.38	5		26266	17.65	269.70	8	26416	69.50		621.98				
	5	26134	6.89	223.83	6		26268	21.17	284.71	9	26418	78.17		707.29				
6	26136	8.26	265.73	7	26270	24.69	346.37	10	26420	86.84	827.49							
8	26138	11.01	327.55	8	26272	28.21	365.76	12	26422	104.19	947.65							
OVERSIZE TOLERANCE	1/4 x	1/4	26144	0.47	55.50	OVERSIZE TOLERANCE	5/8 x	5/8	26280	2.79	106.34	OVERSIZE TOLERANCE	1-1/2 x	1 1/2	26424	15.72	238.18	
		1/2	26146	0.92	61.84			3/4	26282	3.34	91.97			2	26426	20.91	247.16	
	3/4	26148	1.38	66.29	1		26284	4.43	93.34	2 1/2	26428		26.11	291.89				
	1	26150	1.83	71.95	1 1/4		26286	5.53	94.71	3	26430		31.30	347.18				
	1 1/4	26152	2.28	78.96	1 1/2		26288	6.62	119.59	3 1/2	26432		36.50	362.12				
	1 1/2	26154	2.73	88.05	2		26290	8.81	144.43	4	26434		41.69	377.09				
	2	26156	3.63	108.24	2 1/2		26292	11.00	179.61	5	26436		52.08	441.22				
	2 1/2	26158	4.53	126.17	3		26294	13.19	194.68	6	26438		62.48	557.06				
	3	26160	5.43	137.06	3 1/2		26296	15.38	231.39	7	26440		72.87	621.71				
	3 1/2	26162	6.33	142.98	4		26298	17.57	268.17	8	26442		83.26	701.52				
	4	26164	7.24	180.50	5		26300	21.95	304.30	9	26444		93.65	781.35				
	5	26166	9.04	227.43	6		26302	26.33	351.64	10	26446		104.04	866.91				
6	26168	10.84	245.48	7	26304	30.71	399.01	12	26448	124.82	929.09							
8	26170	14.45	309.91	8	26306	35.09	432.09	OVERSIZE TOLERANCE	2 x	2	26450	27.82	353.67					
10	26172	18.06	368.42	9	26308	39.47	497.05											
12	26174	21.66	474.18	10	26310	43.85	558.10											
OVERSIZE TOLERANCE	5/16 x	5/16	26176	0.73	69.09	OVERSIZE TOLERANCE	3/4 x		3/4	26314	3.99	100.26						
		1/2	26178	1.14	62.79				1	26316	5.30	109.84						
	3/4	26180	1.70	65.56	1 1/4		26318		6.61	130.16								
	1	26182	2.26	74.13														
1 1/4	26184	2.82	77.97															

PreMar 410 Stainless Steel Ground Flat Stock

AISI/SAI TYPE 410

Regular Tolerance

--- Size ---					--- Size ---					--- Size ---								
----- 24" Length -----					----- 24" Length -----					----- 24" Length -----								
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price				
1/16	x	1/2	11600	0.22	39.25	5/16	x	1 1/2	11734	3.23	83.40	3/4	x	1 1/2	11868	7.74	120.65	
		3/4	11602	0.32	43.68			2	11736	4.30	88.30			2	11870	10.32	157.63	
	1	11604	0.43	48.60	2 1/2		11738	5.37	113.12	2 1/2	11872		12.89	177.33				
	1 1/4	11606	0.54	53.33	3		11740	6.45	134.77	3	11874		15.47	204.66				
	1 1/2	11608	0.65	57.95	3 1/2		11742	7.52	156.63	3 1/2	11876		18.05	209.97				
	2	11610	0.86	69.49	4		11744	8.59	00162	4	11878		20.62	228.82				
	2 1/2	11612	1.07	80.47	5		11746	10.74	199.74	5	11880		25.78	325.99				
	3	11614	1.29	89.58	6		11748	12.89	221.07	6	11882		30.93	354.88				
	3 1/2	11616	1.50	99.49	8		11750	17.18	300.53	7	11884		36.08	392.63				
	4	11618	1.72	109.17	9		11752	19.33	332.96	8	11886		41.23	442.53				
	5	11620	2.15	128.04	10		11754	21.47	367.37	9	11888		46.39	508.74				
	6	11622	2.58	150.56	12		11756	25.77	469.43	10	11890		51.54	580.32				
	8	11624	3.44	194.16	3/8	x	3/8	11758	0.97	62.11	7/8	x	7/8	11894	5.27	114.32		
	10	11626	4.29	230.74			1/2	11760	1.29	55.93			1	11896	6.03	118.49		
	12	11628	5.15	273.80		3/4	11762	1.94	68.27	1 1/4		11898	7.53	127.49				
1/8	x	1/2	11630	0.43		41.21	1	11764	2.58	69.68		1 1/2	11900	9.03	136.51			
		3/4	11632	0.65		46.36	1 1/4	11766	3.23	71.69		2	11902	12.04	154.54			
	1	11634	0.86	51.70		1 1/2	11768	3.87	86.54	2 1/2		11904	15.04	180.27				
	1 1/4	11636	1.08	55.73		2	11770	5.16	101.30	3		11906	18.05	206.00				
	1 1/2	11638	1.29	63.48		2 1/2	11772	6.45	122.33	3 1/2		11908	21.05	242.40				
	2	11640	1.72	71.20		3	11774	7.74	123.22	4		11910	24.06	278.82				
	2 1/2	11642	2.15	81.49		3 1/2	11776	9.02	157.29	6		11912	36.08	303.77				
	3	11644	2.58	90.19		4	11778	10.31	183.27	1		x	1	11914	6.89	145.05		
	3 1/2	11646	3.01	100.53		5	11780	12.89	219.05				1 1/4	11916	8.60	150.28		
	4	11648	3.44	108.59	6	11782	15.46	238.85	1 1/2		11918	10.32	155.39					
	5	11650	4.30	128.57	7	11784	18.04	302.59	2		11920	13.76	174.47					
	6	11652	5.15	150.26	8	11786	20.62	334.59	2 1/2		11922	17.19	195.87					
8	11654	6.87	191.39	9	11788	23.19	379.02	3	11924		20.63	224.85						
10	11656	8.59	231.34	10	11790	25.77	421.92	3 1/2	11926		24.06	250.62						
12	11658	10.31	271.53	12	11792	30.92	482.16	4	11928		27.50	275.31						
3/16	x	3/16	11660	0.24	43.31	1/2	x	1/2	11794		1.73	60.73	1-1/4	x	1 1/4	11944	10.76	169.21
		1/2	11662	0.65	52.23			3/4	11796		2.58	73.20			1 1/2	11946	12.90	173.47
	3/4	11664	0.97	58.23	1		11798	3.44	79.53		2	11948		17.20	215.45			
	1	11666	1.29	67.90	1 1/4		11800	4.30	85.80		7	11934		48.11	499.46			
	1 1/4	11668	1.61	72.75	1 1/2		11802	5.16	92.67	8	11936	54.98		532.11				
	1 1/2	11670	1.94	80.77	2		11804	6.88	106.78	9	11938	61.85		650.58				
	2	11672	2.58	96.74	2 1/2		11806	8.60	134.46	10	11940	68.72		668.21				
	2 1/2	11674	3.22	114.00	3		11808	10.31	140.57	12	11942	82.46		792.49				
	3	11676	3.87	126.68	3 1/2		11810	12.03	170.26	1-1/2	x	1 1/2		11972	15.48	209.34		
	3 1/2	11678	4.51	144.67	4		11812	13.75	175.35			2		11974	20.64	217.37		
	4	11680	5.16	161.30	5		11814	17.18	237.27		2 1/2	11976		25.79	257.25			
	5	11682	6.44	193.90	6		11816	20.62	250.67		3	11978		30.94	306.64			
6	11684	7.73	231.33	7	11818	24.05	305.73	3 1/2	11980		36.09	319.96						
8	11686	10.31	286.50	8	11820	27.49	323.06	4	11982		41.25	333.37						
10	11688	12.88	341.02	9	11822	30.92	450.05	5	11984		51.55	390.64						
12	11690	15.46	397.14	10	11824	34.36	420.29	6	11986		61.86	494.05						
1/4	x	1/4	11692	0.43	44.41	5/8	x	5/8	11828		2.69	91.41	1-1/2	x	1 1/2	11972	15.48	209.34
		1/2	11694	0.86	50.06			3/4	11830		3.23	78.62			2	11974	20.64	217.37
	3/4	11696	1.29	54.11	1		11832	4.30	79.81		2 1/2	11976		25.79	257.25			
	1	11698	1.72	59.15	1 1/4		11834	5.38	81.04		3	11978		30.94	306.64			
	1 1/4	11700	2.15	65.33	1 1/2		11836	6.45	103.24	3 1/2	11980	36.09		319.96				
	1 1/2	11702	2.58	73.48	2		11838	8.60	125.46	4	11982	41.25		333.37				
	2	11704	3.44	91.47	2 1/2		11840	10.75	156.89	5	11984	51.55		390.64				
	2 1/2	11706	4.30	107.47	3		11842	12.89	170.34	6	11986	61.86		494.05				
	3	11708	5.16	117.27	3 1/2		11844	15.04	203.14	7	11988	72.16		551.78				
	3 1/2	11710	6.02	122.52	4		11846	17.19	235.95	8	11990	82.47		623.03				
	4	11712	6.87	156.03	5		11848	21.48	268.24	9	11992	92.77		694.30				
	5	11714	8.59	197.89	6		11850	25.77	310.52	10	11994	103.08		770.74				
6	11716	10.31	214.02	7	11852	30.07	352.74	12	11996	123.69	826.18							
8	11718	13.74	271.54	8	11854	34.36	382.28	5/16	x	5/16	11724	0.68	56.07					
10	11720	17.18	323.81	9	11856	38.65	440.28			1/2	11726	1.08	50.48					
12	11722	20.61	418.18	10	11858	42.95	494.81		3/4	11728	1.62	52.91						
5/16	x	5/16	11724	0.68	56.07	12	11860		51.54	569.93	1	11730	2.15	60.59				
		1/2	11726	1.08	50.48	3/4	x		3/4	11862	3.88	86.00	1 1/4	11732	2.69	64.01		
	3/4	11728	1.62	52.91	1				11864	5.17	94.52							
	1	11730	2.15	60.59	1 1/4		11866		6.45	112.65								
1 1/4	11732	2.69	64.01															

Ruetom Special 420 Stainless Steel Ground Flat Stock

AISI/SAE TYPE 420

Oversize Tolerance

--- Size ---		----- 24" Length -----			--- Size ---		----- 24" Length -----			--- Size ---		----- 24" Length -----					
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price			
1/4	x	1	13000	1.83	104.37	1/2	x	1	13024	3.56	137.64	1	x	1	13048	7.04	228.24
		2	13002	3.63	162.29			2	13026	7.09	207.94			2	13050	14.00	330.97
		3	13004	5.43	221.75			3	13028	10.61	279.63			3	13052	20.95	433.70
		4	13006	7.24	279.64			4	13030	14.13	349.93			4	13054	27.91	536.41
		5	13008	9.04	337.56			5	13032	17.65	420.24			5	13056	34.87	639.14
		6	13010	10.84	395.50			6	13034	21.17	490.53			6	13058	41.82	741.86
3/8	x	1	13012	2.70	125.69	3/4	x	1	13036	5.30	187.71	1-1/2	x	2	13062	20.91	451.81
		2	13014	5.36	192.26			2	13038	10.54	275.26			3	13064	31.30	589.28
		3	13016	8.02	260.31			3	13040	15.78	362.78			4	13066	41.69	726.74
		4	13018	10.68	326.87			4	13042	21.02	450.33						
		5	13020	13.34	393.43			5	13044	26.26	537.84						
		6	13022	16.01	459.98			6	13046	31.50	625.37						

FIRECHROME Ground Flat Stock H-13

AISI/SAE TYPE H-13

Oversize Tolerance

--- Size ---		----- 24" Length -----			--- Size ---		----- 24" Length -----			--- Size ---		----- 24" Length -----					
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price			
1/4	x	1	97161	1.80	62.12	1/2	x	1	97165	3.54	99.83	1	x	1	97173	7.01	156.64
		2	97162	3.59	94.61			2	97166	7.04	156.72			2	97174	13.95	234.93
		3	97163	5.38	128.36			3	97167	10.55	214.75			3	97175	20.89	313.19
		4	97164	7.16	160.86			4	97168	14.05	271.68			4	97176	27.82	391.49
3/8	x	1	97211	2.67	80.98	3/4	x	1	97169	5.27	132.96						
		2	97212	5.32	125.66			2	97170	10.49	202.18						
		3	97213	7.96	171.57			3	97171	15.72	271.46						
		4	97214	10.61	216.28			4	97172	20.94	340.69						

“Specials” Production

Non-standards are available from production for both Ground Flat Stock and Drill Rod. Precision-Marshall’s inside sales team provides prompt quotations through distributors on a wide variety of “special” requirements. Some general parameters for “specials” are as follows:

- **Grades:** In addition to PM standard grades, many cold work, hot work, high speed, powder metal, and carbon and alloy grades can be supplied as specials based upon raw material availability. Some grades routinely supplied as “specials” are A-6, O-6, M-2, H-13, and A-11.
- **Quantity:** As little as a single piece can be supplied where required. Convenient stock and release programs can also be developed for large, repetitive runs. Exact piece counts can also be provided when necessary.
- **Tolerances:** Closer than standard dimensional tolerances are available on all PM products upon request.
- **Lengths:** Virtually all Ground Flat Stock cross-sections can be produced through 72” and some through 144”. Drill Rod can be supplied in lengths through 144” as well.
- **Flatness/Straightness:** Every bar of Precision-Marshall Ground Flat Stock is hand straightened to achieve minimum deviation. Exact capabilities vary widely by grade and cross-section and will be quoted upon request.
- **Surface Condition:** On Ground Flat Stock a “Mattison” finish is supplied unless otherwise specified. “Blanchard” finishes are also available for cost savings. Edges can also be supplied “saw-cut” for additional savings. Drill Rod diameters are all centerless ground.
- **Lead Times:** Most production specials are supplied within 5 to 10 working days.
- **Quality Guarantee:** Precision-Marshall’s unique “Guarantee of Quality” applies on “special” requirements as well as standard products.

Altered Standards - GFS

Precision-Marshall’s extensive inventory of standard Ground Flat Stock sizes are available for conversion into near standard sizes routinely within 24 to 48 hours. This service is unique in the ground flat stock industry.

The preceding information is intended to provide a general guideline to Precision-Marshall’s “special” and Altered Standard capabilities. Specific requirements should always be confirmed to assure maximum correctness.

All Precision-Marshall sales are conducted through authorized distributors. Please contact your local distributor for a detailed quote or call 1-800-258-2558 and allow us to recommend a distributor in your area.

WATERCRAT

Water-hardening Ground and Polished Drill Rod

AISI/SAE TYPE W-1

--- Size ---		----- 3' Length -----			----- 12' Length -----			--- Size ---		----- 3' Length -----			----- 12' Length -----										
Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price								
1/16	.0625	53401	0.03	1.28	53402	0.13	5.23	31/32	.9687	53169	7.52	51.98	53170	30.07	207.94								
5/64	.0781	53397	0.05	2.19	53398	0.20	8.83	63/64	.9843	53165	7.76	56.08	53166	31.05	224.34								
3/32	.0937	53393	0.07	2.35	53394	0.28	9.35	1	1.0000	53161	8.01	47.16	53162	32.04	188.64								
7/64	.1093	53389	0.10	3.41	53390	0.38	13.68	1-1/64	1.0156	53157	8.26	58.46	---	---	---								
1/8	.1250	53385	0.13	2.60	53386	0.50	10.47	1-1/32	1.0312	53153	8.52	57.76	---	---	---								
9/64	.1406	53381	0.16	3.53	53382	0.63	14.13	1-3/64	1.0468	53149	8.78	62.11	---	---	---								
5/32	.1562	53377	0.20	3.31	53378	0.78	13.19	1-1/16	1.0625	53145	9.04	61.41	---	---	---								
11/64	.1718	53373	0.24	4.40	53374	0.95	17.62	1-5/64	1.0781	53141	9.31	65.87	---	---	---								
3/16	.1875	53369	0.28	3.88	53370	1.13	15.65	1-3/32	1.0937	53137	9.58	65.02	---	---	---								
13/64	.2031	53365	0.33	4.95	53366	1.32	19.86	1-7/64	1.1093	53133	9.86	69.77	---	---	---								
7/32	.2187	53361	0.38	4.80	53362	1.53	19.30	1-1/8	1.1250	53129	10.14	65.69	---	---	---								
15/64	.2343	53357	0.44	6.06	53358	1.76	24.27	1-9/64	1.1406	53125	10.42	73.73	---	---	---								
1/4	.2500	53353	0.50	4.76	53354	2.00	19.09	1-5/32	1.1562	53121	10.71	73.04	---	---	---								
17/64	.2656	53349	0.57	5.43	53350	2.26	21.63	1-11/64	1.1718	53117	11.00	77.85	---	---	---								
9/32	.2812	53345	0.63	5.54	53346	2.53	22.16	1-3/16	1.1875	53113	11.30	76.72	---	---	---								
19/64	.2968	53341	0.71	6.77	53342	2.82	27.11	1-13/64	1.2031	53109	11.60	82.06	---	---	---								
5/16	.3125	53337	0.78	6.20	53338	3.13	24.82	1-7/32	1.2187	53105	11.90	80.70	---	---	---								
21/64	.3281	53333	0.86	8.17	53334	3.45	32.81	1-15/64	1.2343	53101	12.20	86.34	---	---	---								
11/32	.3437	53329	0.95	8.28	53330	3.79	33.10	1-1/4	1.2500	53097	12.52	79.93	---	---	---								
23/64	.3593	53325	1.03	9.83	53326	4.14	39.35	1-17/64	1.2656	53093	12.83	89.76	---	---	---								
3/8	.3750	53321	1.13	8.28	53322	4.51	33.10	1-9/32	1.2812	53089	13.15	87.98	---	---	---								
25/64	.3906	53317	1.22	10.80	53318	4.89	43.18	1-19/64	1.2968	53085	13.47	94.06	---	---	---								
13/32	.4062	53313	1.32	10.75	53314	5.29	42.96	1-5/16	1.3125	53081	13.80	92.38	---	---	---								
27/64	.4218	53309	1.43	12.65	53310	5.70	50.54	1-21/64	1.3281	53077	14.13	98.63	---	---	---								
7/16	.4375	53305	1.53	11.26	53306	6.13	44.99	1-11/32	1.3437	53073	14.46	96.79	---	---	---								
29/64	.4531	53301	1.64	14.59	53302	6.58	58.35	1-23/64	1.3593	53069	14.80	103.36	---	---	---								
15/32	.4687	53297	1.76	14.21	53298	7.04	56.77	1-3/8	1.3750	53065	15.15	96.79	---	---	---								
31/64	.4843	53293	1.88	16.58	53294	7.52	66.32	1-25/64	1.3906	53061	15.49	108.17	---	---	---								
1/2	.5000	53289	2.00	13.55	53290	8.01	54.22	1-13/32	1.4062	53057	15.84	105.90	---	---	---								
33/64	.5156	53285	2.13	17.34	53286	8.52	69.28	1-27/64	1.4218	53053	16.19	113.04	---	---	---								
17/32	.5312	53281	2.26	17.59	53282	9.04	70.38	1-7/16	1.4375	53049	16.55	110.79	---	---	---								
35/64	.5468	53277	2.40	19.40	53278	9.58	77.65	1-29/64	1.4531	53045	16.92	118.05	---	---	---								
9/16	.5625	53273	2.53	18.84	53274	10.14	75.37	1-15/32	1.4687	53041	17.28	115.60	---	---	---								
37/64	.5781	53269	2.68	21.73	53270	10.71	86.94	1-31/64	1.4843	53037	17.65	123.22	---	---	---								
19/32	.5937	53265	2.82	21.94	53266	11.29	87.80	1-1/2	1.5000	53033	18.02	105.76	---	---	---								
39/64	.6093	53261	2.97	24.15	53262	11.90	96.55	1-9/16	1.5625	53029	19.56	114.09	---	---	---								
5/8	.6250	53257	3.13	19.10	53258	12.52	76.47	1-5/8	1.6250	53025	21.15	130.04	---	---	---								
41/64	.6406	53253	3.29	24.21	53254	13.15	96.78	1-11/16	1.6875	53021	22.81	140.25	---	---	---								
21/32	.6562	53249	3.45	24.33	53250	13.80	97.33	1-3/4	1.7500	53017	24.53	144.12	---	---	---								
43/64	.6718	53245	3.62	26.58	53246	14.46	106.31	1-13/16	1.8125	53013	26.32	161.77	---	---	---								
11/16	.6875	53241	3.79	25.49	53242	15.15	102.01	1-7/8	1.8750	53009	28.16	173.12	---	---	---								
45/64	.7031	53237	3.96	29.20	53238	15.84	116.80	1-15/16	1.9375	53005	30.07	184.90	---	---	---								
23/32	.7187	53233	4.14	29.21	53234	16.55	116.86	2	2.0000	53001	32.04	186.93	---	---	---								
47/64	.7343	53229	4.32	31.79	53230	17.28	127.17	LETTERED															
3/4	.7500	53225	4.51	27.01	53226	18.02	108.05	SIZE															
49/64	.7656	53221	4.70	33.90	53222	18.78	135.62	A	.2340	53801	0.44	6.06	53802	1.75	24.27								
25/32	.7812	53217	4.89	33.87	53218	19.56	135.45	B	.2380	53805	0.45	6.21	53806	1.82	24.93								
51/64	.7968	53213	5.09	36.71	53214	20.34	146.86	C	.2420	53809	0.47	6.32	53810	1.88	25.42								
13/16	.8125	53209	5.29	34.94	53210	21.15	139.73	D	.2460	53813	0.48	6.66	53814	1.94	26.61								
53/64	.8281	53205	5.49	39.71	53206	21.97	158.81	E	.2500	53817	0.50	5.47	53818	2.00	21.93								
27/32	.8437	53201	5.70	39.51	53202	22.81	158.02	F	.2570	53821	0.53	5.06	53822	2.12	20.31								
55/64	.8593	53197	5.92	42.70	53198	23.66	170.85	G	.2610	53825	0.55	5.22	53826	2.18	20.92								
7/8	.8750	53193	6.13	40.54	53194	24.53	162.17	H	.2660	53829	0.57	5.50	53830	2.27	21.94								
57/64	.8906	53189	6.35	45.87	53190	25.42	183.57	I	.2720	53833	0.59	5.71	53834	2.37	22.87								
29/32	.9062	53185	6.58	45.58	53186	26.31	182.33	J	.2770	53837	0.61	5.91	53838	2.46	23.66								
59/64	.9218	53181	6.81	49.18	53182	27.23	196.79																
15/16	.9375	53177	7.04	48.71	53178	28.16	194.92																
61/64	.9531	53173	7.28	52.55	53174	29.11	210.19																

WATERCRAT WATER-HARDENING GROUND AND POLISHED DRILL ROD

(continued)

--- Size ---		----- 3' Length -----			----- 12' Length -----			--- Size ---		----- 3' Length -----			----- 12' Length -----		
Letter	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price
LETTERED								10	.1910	53537	0.29	4.38	53538	1.17	17.53
SIZE								9	.1940	53533	0.30	4.52	53534	1.21	18.18
K	.2810	53841	0.63	6.08	53842	2.53	24.36	8	.1970	53529	0.31	4.62	53530	1.24	18.46
L	.2902	53845	0.67	6.48	53846	2.70	25.94	7	.1990	53525	0.32	4.76	53526	1.27	19.09
M	.2950	53849	0.70	6.70	53850	2.79	26.76	6	.2010	53521	0.32	4.88	53522	1.29	19.58
N	.3020	53853	0.73	7.04	53854	2.92	28.18	5	.2040	53517	0.33	4.95	53518	1.33	19.86
O	.3160	53857	0.80	7.69	53858	3.20	30.70	4	.2070	53513	0.34	5.11	53514	1.37	20.52
P	.3230	53861	0.84	7.95	53862	3.34	31.87	3	.2120	53509	0.36	5.37	53510	1.44	21.44
Q	.3320	53865	0.88	8.42	53866	3.53	33.64	2	.2190	53505	0.38	5.23	53506	1.54	20.99
R	.3390	53869	0.92	8.77	53870	3.68	35.14	1	.2270	53501	0.41	5.67	53502	1.65	22.67
S	.3480	53873	0.97	9.25	53874	3.88	37.01	WATERCRAT WATER-HARDENING COLD DRAWN DRILL ROD							
T	.3580	53877	1.03	9.77	53878	4.11	39.12	Square and Flat Tool Steel							
U	.3680	53881	1.08	10.34	53882	4.34	41.31	--- Size ---		UPC No.		Weight		List Price	
V	.3770	53885	1.14	10.06	53886	4.55	40.23	Inches		3' Length					
W	.3860	53889	1.19	10.50	53890	4.77	42.01	1/16	x	1/16	93001	0.04	1.71		
X	.3970	53893	1.26	11.15	53894	5.05	44.61			1/8	93003	0.08	3.48		
Y	.4040	53897	1.31	11.50	53898	5.23	46.01			3/16	93005	0.12	4.96		
Z	.4130	53901	1.37	12.06	53902	5.47	48.28			1/4	93007	0.16	6.26		
NUMBERED								3/32	x	3/32	93009	0.09	3.08		
SIZE										1/8	93011	0.12	4.04		
52	.0630	53705	0.03	1.48	53706	0.13	6.00			3/16	93013	0.18	5.71		
51	.0660	53701	0.03	1.59	53702	0.14	6.34			1/4	93015	0.24	7.64		
50	.0690	53697	0.04	1.70	53698	0.15	6.83			5/16	93017	0.30	9.26		
49	.0720	53693	0.04	1.86	53694	0.17	7.38			3/8	93019	0.36	11.21		
48	.0750	53689	0.05	2.04	53690	0.18	8.13	1/8	x	1/8	93021	0.16	4.02		
47	.0770	53685	0.05	2.13	53686	0.19	8.52			3/16	93023	0.24	6.05		
46	.0790	53681	0.05	2.22	53682	0.20	8.91			1/4	93026	0.32	7.47		
45	.0810	53677	0.05	2.35	53678	0.21	9.35			5/16	93027	0.40	9.35		
44	.0850	53673	0.06	2.65	53674	0.23	10.68			3/8	93029	0.48	10.88		
43	.0880	53669	0.06	2.83	53670	0.25	11.34			1/2	93031	0.64	18.52		
42	.0920	53665	0.07	3.04	53666	0.27	12.17			3/4	93033	0.96	27.92		
41	.0950	53661	0.07	2.65	53662	0.29	10.68	5/32	x	1/4	93036	0.40	7.39		
40	.0970	53657	0.08	2.77	53658	0.30	11.03			3/8	93037	0.60	11.10		
39	.0990	53653	0.08	2.83	53654	0.31	11.34			1/2	93039	0.80	14.91		
38	.1010	53649	0.08	2.92	53650	0.33	11.71	3/16	x	3/16	93041	0.36	6.05		
37	.1030	53645	0.08	3.04	53646	0.34	12.17			1/4	93043	0.48	7.04		
36	.1060	53641	0.09	3.23	53642	0.36	12.93			5/16	93046	0.60	8.73		
35	.1080	53637	0.09	3.35	53638	0.37	13.40			3/8	93047	0.72	10.50		
34	.1100	53633	0.10	3.48	53634	0.39	13.97			1/2	93049	0.96	16.92		
33	.1120	53629	0.10	3.56	53630	0.40	14.33			5/8	93051	1.20	17.59		
32	.1150	53625	0.11	3.81	53626	0.42	15.27			3/4	93053	1.44	25.40		
31	.1200	53621	0.12	4.15	53622	0.46	16.58	1/4	x	1/4	93056	0.64	8.13		
30	.1270	53617	0.13	2.89	53618	0.52	11.62			5/16	93057	0.80	10.21		
29	.1340	53613	0.14	3.23	53614	0.58	12.93			3/8	93059	0.96	12.21		
28	.1390	53609	0.15	3.48	53610	0.62	13.97			1/2	93061	1.28	19.54		
27	.1430	53605	0.16	3.66	53606	0.66	14.73			3/4	93063	1.92	29.29		
26	.1460	53601	0.17	3.87	53602	0.68	15.54	5/16	x	5/16	93066	1.01	11.88		
25	.1480	53597	0.18	3.99	53598	0.70	16.02	3/8	x	3/8	93067	1.44	17.07		
24	.1510	53593	0.18	4.15	53594	0.73	16.58	7/16	x	7/16	93069	1.96	23.19		
23	.1530	53589	0.19	4.33	53590	0.75	17.35	1/2	x	1/2	93071	2.55	35.19		
22	.1550	53585	0.19	4.38	53586	0.77	17.53			5/8	93073	3.19	43.71		
21	.1570	53581	0.20	3.66	53582	0.79	14.73			3/4	93076	3.83	52.45		
20	.1610	53577	0.21	3.87	53578	0.83	15.54			1	93077	5.11	69.94		
19	.1640	53573	0.22	3.79	53574	0.86	15.19	5/8	x	5/8	93079	3.99	54.92		
18	.1680	53569	0.23	3.99	53570	0.90	16.02	3/4	x	3/4	93081	5.75	79.17		
17	.1720	53565	0.24	4.40	53566	0.95	17.62	7/8	x	7/8	93083	7.82	107.75		
16	.1750	53561	0.25	4.52	53562	0.98	18.18	1	x	1	93086	10.22	140.76		
15	.1780	53557	0.25	4.71	53558	1.02	18.84								
14	.1800	53553	0.26	4.80	53554	1.04	19.30								
13	.1820	53549	0.27	4.91	53550	1.06	19.68								
12	.1850	53545	0.27	5.09	53546	1.10	20.42								
11	.1880	53541	0.28	4.33	53542	1.13	17.35								

OILCRAT®

Oil-hardening Ground and Polished Drill Rod

AISI/SAE TYPE O-1

--- Size ---			----- 3' Length -----			----- 12' Length -----			--- Size ---			----- 3' Length -----			----- 12' Length -----		
Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price		
1/16	.0625	51401	0.03	2.32	51402	0.13	9.32	59/64	.9218	51181	6.81	67.09	51182	27.23	268.45		
5/64	.0781	51397	0.05	3.88	51398	0.20	15.54	15/16	.9375	51177	7.04	67.61	51178	28.16	270.50		
3/32	.0937	51393	0.07	2.69	51394	0.28	10.73	61/64	.9531	51173	7.28	71.71	51174	29.11	286.89		
7/64	.1093	51389	0.10	3.88	51390	0.38	15.54	31/32	.9687	51169	7.52	72.23	51170	30.07	288.92		
1/8	.1250	51385	0.13	3.55	51386	0.50	14.28	63/64	.9843	51165	7.76	76.46	51166	31.05	305.86		
9/64	.1406	51381	0.16	4.76	51382	0.63	19.06	1	1.0000	51161	8.01	63.47	51162	32.04	253.94		
5/32	.1562	51377	0.20	4.46	51378	0.78	17.88	1-1/64	1.0156	51157	8.26	77.44	---	---	---		
11/64	.1718	51373	0.24	5.80	51374	0.95	23.16	1-1/32	1.0312	51153	8.52	77.81	---	---	---		
3/16	.1875	51369	0.28	5.14	51370	1.13	20.60	1-3/64	1.0468	51149	8.78	82.28	---	---	---		
13/64	.2031	51365	0.33	6.48	51366	1.32	25.97	1-1/16	1.0625	51145	9.04	82.60	---	---	---		
7/32	.2187	51361	0.38	6.14	51362	1.53	24.60	1-5/64	1.0781	51141	9.31	87.22	---	---	---		
15/64	.2343	51357	0.44	7.61	51358	1.76	30.50	1-3/32	1.0937	51137	9.58	87.11	---	---	---		
1/4	.2500	51353	0.50	5.84	51354	2.00	23.34	1-7/64	1.1093	51133	9.86	92.37	---	---	---		
17/64	.2656	51349	0.57	7.09	51350	2.26	28.28	1-1/8	1.1250	51129	10.14	88.44	---	---	---		
9/32	.2812	51345	0.63	7.34	51346	2.53	29.41	1-9/64	1.1406	51125	10.42	97.64	---	---	---		
19/64	.2968	51341	0.71	8.79	51342	2.82	35.22	1-5/32	1.1562	51121	10.71	98.38	---	---	---		
5/16	.3125	51337	0.78	7.34	51338	3.13	29.41	1-11/64	1.1718	51117	11.00	103.12	---	---	---		
21/64	.3281	51333	0.86	9.60	51334	3.45	38.39	1-3/16	1.1875	51113	11.30	103.23	---	---	---		
11/32	.3437	51329	0.95	9.73	51330	3.79	38.98	1-13/64	1.2031	51109	11.60	108.67	---	---	---		
23/64	.3593	51325	1.03	11.51	51326	4.14	46.04	1-7/32	1.2187	51105	11.90	108.71	---	---	---		
3/8	.3750	51321	1.13	10.35	51322	4.51	41.39	1-15/64	1.2343	51101	12.20	114.41	---	---	---		
25/64	.3906	51317	1.22	13.25	51318	4.89	53.03	1-1/4	1.2500	51097	12.52	103.63	---	---	---		
13/32	.4062	51313	1.32	13.44	51314	5.29	53.80	1-17/64	1.2656	51093	12.83	114.33	---	---	---		
27/64	.4218	51309	1.43	15.43	51310	5.70	61.79	1-9/32	1.2812	51089	13.15	113.95	---	---	---		
7/16	.4375	51305	1.53	14.03	51306	6.13	56.15	1-19/64	1.2968	51085	13.47	119.84	---	---	---		
29/64	.4531	51301	1.64	17.83	51302	6.58	71.34	1-5/16	1.3125	51081	13.80	119.66	---	---	---		
15/32	.4687	51297	1.76	17.77	51298	7.04	71.04	1-21/64	1.3281	51077	14.13	125.67	---	---	---		
31/64	.4843	51293	1.88	20.37	51294	7.52	81.50	1-11/32	1.3437	51073	14.46	125.37	---	---	---		
1/2	.5000	51289	2.00	17.25	51290	8.01	69.09	1-23/64	1.3593	51069	14.80	131.61	---	---	---		
33/64	.5156	51285	2.13	21.73	51286	8.52	86.97	1-3/8	1.3750	51065	15.15	125.37	---	---	---		
17/32	.5312	51281	2.26	22.45	51282	9.04	89.88	1-25/64	1.3906	51061	15.49	137.77	---	---	---		
35/64	.5468	51277	2.40	24.43	51278	9.58	97.77	1-13/32	1.4062	51057	15.84	137.33	---	---	---		
9/16	.5625	51273	2.53	24.09	51274	10.14	96.32	1-27/64	1.4218	51053	16.19	144.06	---	---	---		
37/64	.5781	51269	2.68	27.33	51270	10.71	109.27	1-7/16	1.4375	51049	16.55	143.61	---	---	---		
19/32	.5937	51265	2.82	28.11	51266	11.29	112.43	1-29/64	1.4531	51045	16.92	150.46	---	---	---		
39/64	.6093	51261	2.97	29.98	51262	11.90	119.97	1-15/32	1.4687	51041	17.28	149.84	---	---	---		
5/8	.6250	51257	3.13	26.65	51258	12.52	106.64	1-31/64	1.4843	51037	17.65	156.99	---	---	---		
41/64	.6406	51253	3.29	33.11	51254	13.15	132.54	1-1/2	1.5000	51033	18.02	147.74	---	---	---		
21/32	.6562	51249	3.45	33.85	51250	13.80	135.39	1-9/16	1.5625	51029	19.56	159.30	---	---	---		
43/64	.6718	51245	3.62	36.42	51246	14.46	145.69	1-5/8	1.6250	51025	21.15	181.60	---	---	---		
11/16	.6875	51241	3.79	35.54	51242	15.15	142.17	1-11/16	1.6875	51021	22.81	195.81	---	---	---		
45/64	.7031	51237	3.96	39.88	51238	15.84	159.55	1-3/4	1.7500	51017	24.53	201.11	---	---	---		
23/32	.7187	51233	4.14	40.61	51234	16.55	162.49	1-13/16	1.8125	51013	26.32	225.93	---	---	---		
47/64	.7343	51229	4.32	43.48	51230	17.28	174.00	1-7/8	1.8750	51009	28.16	241.82	---	---	---		
3/4	.7500	51225	4.51	37.50	51226	18.02	150.06	1-15/16	1.9375	51005	30.07	258.15	---	---	---		
49/64	.7656	51221	4.70	46.29	51222	18.78	185.21	2	2.0000	51001	32.04	260.53	---	---	---		
25/32	.7812	51217	4.89	46.97	51218	19.56	187.84	2-1/2	2.5000	20010	50.07	522.06	---	---	---		
51/64	.7968	51213	5.09	50.10	51214	20.34	200.49	3	3.0000	20020	72.10	868.10	---	---	---		
13/16	.8125	51209	5.29	48.50	51210	21.15	194.00										
53/64	.8281	51205	5.49	54.17	51206	21.97	216.68										
27/32	.8437	51201	5.70	54.81	51202	22.81	219.23										
55/64	.8593	51197	5.92	58.29	51198	23.66	233.17										
7/8	.8750	51193	6.13	56.20	51194	24.53	224.81										
57/64	.8906	51189	6.35	62.64	51190	25.42	250.61										
29/32	.9062	51185	6.58	63.22	51186	26.31	252.89										

OILCRAT OIL-HARDENING GROUND AND POLISHED DRILL ROD

(continued)

--- Size ---		----- 3' Length -----			----- 12' Length -----			--- Size ---		----- 3' Length -----			----- 12' Length -----		
Letter	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price	Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price
LETTERED SIZE								22	.1550	51585	0.19	5.73	51586	0.77	23.00
A	.2340	51801	0.44	7.57	51802	1.75	30.31	21	.1570	51581	0.20	4.85	51582	0.79	19.41
B	.2380	51805	0.45	7.88	51806	1.82	31.49	20	.1610	51577	0.21	5.14	51578	0.83	20.60
C	.2420	51809	0.47	8.09	51810	1.88	32.42	19	.1640	51573	0.22	5.29	51574	0.86	21.25
D	.2460	51813	0.48	8.34	51814	1.94	33.35	18	.1680	51569	0.23	5.56	51570	0.90	22.26
E	.2500	51817	0.50	6.65	51818	2.00	26.62	17	.1720	51565	0.24	5.83	51566	0.95	23.26
F	.2570	51821	0.53	6.59	51822	2.12	26.40	16	.1750	51561	0.25	6.00	51562	0.98	24.04
G	.2610	51825	0.55	6.80	51826	2.18	27.33	15	.1780	51557	0.25	6.24	51558	1.02	24.93
H	.2660	51829	0.57	7.09	51830	2.27	28.28	14	.1800	51553	0.26	6.40	51554	1.04	25.62
I	.2720	51833	0.59	7.41	51834	2.37	29.65	13	.1820	51549	0.27	6.48	51550	1.06	25.97
J	.2770	51837	0.61	7.68	51838	2.46	30.79	12	.1850	51545	0.27	6.74	51546	1.10	26.97
K	.2810	51841	0.63	7.90	51842	2.53	31.66	11	.1880	51541	0.28	5.56	51542	1.13	22.26
L	.2902	51845	0.67	8.38	51846	2.70	33.57	10	.1910	51537	0.29	5.71	51538	1.17	22.93
M	.2950	51849	0.70	8.71	51850	2.79	34.91	9	.1940	51533	0.30	5.96	51534	1.21	23.82
N	.3020	51853	0.73	9.13	51854	2.92	36.49	8	.1970	51529	0.31	6.14	51530	1.24	24.60
O	.3160	51857	0.80	8.95	51858	3.20	35.74	7	.1990	51525	0.32	6.19	51526	1.27	24.78
P	.3230	51861	0.84	9.25	51862	3.34	37.02	6	.2010	51521	0.32	6.34	51522	1.29	25.44
Q	.3320	51865	0.88	9.80	51866	3.53	39.27	5	.2040	51517	0.33	6.59	51518	1.33	26.38
R	.3390	51869	0.92	10.25	51870	3.68	41.02	4	.2070	51513	0.34	6.71	51514	1.37	26.89
S	.3480	51873	0.97	10.74	51874	3.88	43.04	3	.2120	51509	0.36	7.09	51510	1.44	28.29
T	.3580	51877	1.03	11.38	51878	4.11	45.67	2	.2190	51505	0.38	6.65	51506	1.54	26.62
U	.3680	51881	1.08	12.05	51882	4.34	48.22	1	.2270	51501	0.41	7.13	51502	1.65	28.48
V	.3770	51885	1.14	12.35	51886	4.55	49.45								
W	.3860	51889	1.19	12.96	51890	4.77	51.78								
X	.3970	51893	1.26	13.73	51894	5.05	54.92								
Y	.4040	51897	1.31	14.19	51898	5.23	56.81								
Z	.4130	51901	1.37	14.82	51902	5.47	59.31								
NUMBERED SIZE															
52	.0630	51705	0.03	2.54	51706	0.13	10.17								
51	.0660	51701	0.03	2.77	51702	0.14	11.08								
50	.0690	51697	0.04	2.99	51698	0.15	11.91								
49	.0720	51693	0.04	3.30	51694	0.17	13.19								
48	.0750	51689	0.05	3.56	51690	0.18	14.36								
47	.0770	51685	0.05	3.81	51686	0.19	15.17								
46	.0790	51681	0.05	3.96	51682	0.20	15.86								
45	.0810	51677	0.05	4.18	51678	0.21	16.72								
44	.0850	51673	0.06	4.50	51674	0.23	18.05								
43	.0880	51669	0.06	4.91	51670	0.25	19.65								
42	.0920	51665	0.07	5.40	51666	0.27	21.59								
41	.0950	51661	0.07	2.93	51662	0.29	11.68								
40	.0970	51657	0.08	3.02	51658	0.30	12.11								
39	.0990	51653	0.08	3.20	51654	0.31	12.85								
38	.1010	51649	0.08	3.40	51650	0.33	13.61								
37	.1030	51645	0.08	3.44	51646	0.34	13.75								
36	.1060	51641	0.09	3.68	51642	0.36	14.68								
35	.1080	51637	0.09	3.81	51638	0.37	15.17								
34	.1100	51633	0.10	3.92	51634	0.39	15.72								
33	.1120	51629	0.10	4.03	51630	0.40	16.12								
32	.1150	51625	0.11	4.31	51626	0.42	17.20								
31	.1200	51621	0.12	4.67	51622	0.46	18.74								
30	.1270	51617	0.13	3.88	51618	0.52	15.54								
29	.1340	51613	0.14	4.31	51614	0.58	17.20								
28	.1390	51609	0.15	4.67	51610	0.62	18.74								
27	.1430	51605	0.16	4.94	51606	0.66	19.71								
26	.1460	51601	0.17	5.16	51602	0.68	20.67								
25	.1480	51597	0.18	5.29	51598	0.70	21.25								
24	.1510	51593	0.18	5.49	51594	0.73	22.00								
23	.1530	51589	0.19	5.69	51590	0.75	22.86								
--- Size ---		----- 3' Length -----			----- 12' Length -----			--- Size ---		----- 3' Length -----			----- 12' Length -----		
MM	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price	MM	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price
METRIC SIZE															
2	.0787	60104	0.05	4.76											
3	.1181	60106	0.11	5.52											
4	.1575	60108	0.20	6.03											
5	.1969	60110	0.31	7.57											
6	.2362	60112	0.45	10.40											
7	.2756	60114	0.61	9.35											
8	.3150	60116	0.79	11.23											
9	.3543	60118	1.01	13.52											
10	.3937	60120	1.24	16.55											
11	.4331	60122	1.50	20.37											
12	.4724	60124	1.79	23.41											
13	.5118	60126	2.10	26.65											
14	.5512	60128	2.43	30.88											
15	.5906	60130	2.79	35.33											
16	.6299	60132	3.18	38.85											
17	.6693	60134	3.59	44.50											
18	.7087	60136	4.02	50.02											
19	.7480	60138	4.48	54.22											
20	.7874	60140	4.97	60.05											
21	.8268	60142	5.48	66.40											
22	.8661	60144	6.01	72.81											
23	.9055	60146	6.57	77.35											
24	.9449	60148	7.15	86.41											
25	.9843	60150	7.76	93.83											
30	1.1811	60151	11.17	112.59											

AIR-TRUE

Air-hardening Ground and Polished Drill Rod

AISI/SAE TYPE A-2

--- Size ---			----- 3' Length -----			----- 12' Length -----			--- Size ---		UPC No.		
Inches	Decimal	UPC No.	Weight	List Price	UPC No.	Weight	List Price	MM	Decimal	3' Length	Weight	List Price	
1/16	.0625	85001	0.03	3.53	15010	0.13	14.11	METRIC					
5/64	.0781	85003	0.05	6.08	15020	0.20	24.36	SIZE					
3/32	.0937	85005	0.07	5.70	15030	0.28	22.87	2	.0787	86010	0.05	9.52	
7/64	.1093	85007	0.10	6.82	15040	0.38	27.34	3	.1181	86020	0.11	14.11	
1/8	.1250	85009	0.13	6.25	15050	0.50	25.06	4	.1575	86030	0.20	14.73	
								5	.1969	86040	0.31	18.19	
9/64	.1406	85011	0.16	8.78	15060	0.63	35.13	6	.2362	86050	0.45	24.27	
5/32	.1562	85013	0.20	8.90	15070	0.78	35.62	7	.2756	86060	0.61	24.52	
11/64	.1718	85015	0.24	10.74	15080	0.95	42.95	8	.3150	86070	0.79	30.22	
3/16	.1875	85017	0.28	9.51	20030	1.13	38.03	9	.3543	86080	1.01	36.74	
13/64	.2031	85019	0.33	12.28	15090	1.32	49.11	10	.3937	86090	1.24	45.11	
7/32	.2187	85021	0.38	13.23	15100	1.53	52.86	11	.4331	86100	1.50	56.06	
15/64	.2343	85023	0.44	15.20	15110	1.76	60.80	12	.4724	86110	1.79	64.76	
1/4	.2500	85025	0.50	13.01	20040	2.00	52.09	13	.5118	86120	2.10	75.01	
17/64	.2656	85027	0.57	14.49	15120	2.26	57.99	14	.5512	86130	2.43	86.97	
9/32	.2812	85029	0.63	16.27	15130	2.53	65.05	15	.5906	86140	2.79	99.01	
19/64	.2968	85031	0.71	18.19	15140	2.82	72.77	16	.6299	86150	3.18	109.58	
5/16	.3125	85033	0.78	16.78	20050	3.13	67.18	17	.6693	86160	3.59	125.03	
21/64	.3281	85035	0.86	20.47	15150	3.45	81.94	18	.7087	86170	4.02	140.81	
11/32	.3437	85037	0.95	22.40	15160	3.79	89.54	19	.7480	86180	4.48	153.15	
23/64	.3593	85039	1.03	24.50	15170	4.14	98.10	20	.7874	86190	4.97	178.85	
3/8	.3750	85041	1.13	23.88	20060	4.51	95.61	21	.8268	86200	5.48	189.33	
25/64	.3906	85043	1.22	28.59	15180	4.89	114.38	22	.8661	86210	6.01	207.81	
13/32	.4062	85045	1.32	30.95	15190	5.29	123.87	23	.9055	86220	6.57	222.81	
27/64	.4218	85047	1.43	33.39	15200	5.70	133.63	24	.9449	86230	7.15	246.12	
7/16	.4375	85049	1.53	32.51	15210	6.13	130.07	25	.9843	86240	7.76	267.00	
29/64	.4531	85051	1.64	38.47	15220	6.58	153.92						
15/32	.4687	85053	1.76	41.23	15230	7.04	164.89						
31/64	.4843	85055	1.88	44.02	15240	7.52	176.09						
1/2	.5000	85057	2.00	40.72	20070	8.01	162.86						
17/32	.5312	85059	2.26	51.60	15250	9.04	206.39						
9/16	.5625	85061	2.53	51.51	15260	10.14	206.06						
19/32	.5937	85063	2.82	63.35	15270	11.29	253.49						
5/8	.6250	85065	3.13	62.85	15280	12.52	251.38						
21/32	.6562	85067	3.45	76.58	15290	13.80	306.31						
11/16	.6875	85069	3.79	76.08	15300	15.15	304.35						
23/32	.7187	85071	4.14	91.92	15310	16.55	367.68						
3/4	.7500	85073	4.51	89.82	15320	18.02	359.26						
13/16	.8125	85075	5.29	105.40	15330	21.15	421.61						
7/8	.8750	85077	6.13	122.25	15340	24.53	489.00						
1	1.0000	85079	8.01	158.71	15350	32.04	634.88						
1-1/16	1.0625	85081	9.04	179.18	15360	36.17	716.75						
1-1/8	1.1250	85083	10.14	200.87	15370	40.56	803.43						
1-1/4	1.2500	85085	12.52	232.15	15380	50.07	928.67						
1-3/8	1.3750	85087	15.15	280.97	15390	60.58	1123.96						
1-1/2	1.5000	85089	18.02	331.53	15400	72.10	1326.10						
1-3/4	1.7500	85091	24.53	451.18	15410	98.13	1804.66						
2	2.0000	85093	32.04	584.82	15420	128.18	2339.24						

SUPER-7

Air-hardening Ground and Polished Drill Rod

AISI/SAE TYPE S-7

--- Size ---		UPC No.	Weight	List Price	--- Size ---		UPC No.	Weight	List Price
inches	Decimal	3' Length			Inches	Decimal	3' Length		
1/16	.0625	70996	0.03	5.86	1/2	.5000	71029	2.00	48.61
3/32	.0937	70998	0.07	8.53	5/8	.6250	71035	3.13	73.82
1/8	.1250	71001	0.13	10.44	3/4	.7500	71039	4.51	106.34
5/32	.1562	71005	0.20	13.57	7/8	.8750	71043	6.13	144.75
3/16	.1875	71009	0.28	16.10	1	1.0000	71045	8.01	184.22
7/32	.2187	71011	0.38	18.64	1-1/4	1.2500	71049	12.52	287.84
1/4	.2500	71013	0.50	20.92	1-3/8	1.3750	71051	15.15	348.26
5/16	.3125	71017	0.78	24.67	1-1/2	1.5000	71053	18.02	414.45
3/8	.3750	71023	1.13	33.74	1-3/4	1.7500	71055	24.53	564.16
7/16	.4375	71027	1.53	45.90	2	2.0000	71057	32.04	737.57

ARISTOCRAT

Air-hardening Ground and Polished Drill Rod

AISI/SAE TYPE D-2

--- Size ---		UPC No.	Weight	List Price	--- Size ---		UPC No.	Weight	List Price
inches	Decimal	3' Length			Inches	Decimal	3' Length		
1/8	.1250	07176	0.13	29.64	5/8	.6250	07186	3.13	166.92
3/16	.1875	07177	0.28	23.78	3/4	.7500	07188	4.51	240.46
1/4	.2500	07178	0.50	34.02	7/8	.8750	07189	6.13	326.94
5/16	.3125	07181	0.78	46.46	1	1.0000	07191	8.01	411.00
3/8	.3750	07182	1.13	64.51	1-1/4	1.2500	07192	12.52	707.82
7/16	.4375	07183	1.53	88.00	1-1/2	1.5000	07193	18.02	1017.69
1/2	.5000	07184	2.00	110.28					

TRM-2

Annealed High-speed Drill Rod

AISI/SAE TYPE M-2

--- Size ---		UPC No.	Weight	List Price	--- Size ---		UPC No.	Weight	List Price
inches	Decimal	3' Length			Inches	Decimal	3' Length		
1/16	.0625	60500	0.03	8.00	3/8	.3750	60518	1.13	60.92
5/64	.0781	60502	0.05	11.92	7/16	.4375	60520	1.53	83.02
3/32	.0937	60504	0.07	17.01	1/2	.5000	60522	2.00	104.64
7/64	.1093	60506	0.10	17.36	5/8	.6250	60524	3.13	158.61
1/8	.1250	60508	0.13	14.98	3/4	.7500	60526	4.51	228.14
5/32	.1562	60510	0.20	22.38	1	1.0000	60528	8.01	390.90
3/16	.1875	60512	0.28	21.85	1-1/4	1.2500	60530	12.52	604.10
1/4	.2500	60514	0.50	33.26	1-1/2	1.5000	60532	18.02	792.83
5/16	.3125	60516	0.78	43.46					

FIRECHROME 44

Hardened Ground and Polished Drill Rod

AISI/SAE TYPE H-13

--- Size ---		UPC No.	Weight	List Price	--- Size ---		UPC No.	Weight	List Price
inches	Decimal	3' Length			Inches	Decimal	3' Length		
1/8	.1250	08300	0.13	8.48	11/16	.6875	08320	3.79	116.99
3/16	.1875	08302	0.28	12.98	3/4	.7500	08322	4.51	138.99
1/4	.2500	08304	0.50	17.82	13/16	.8125	08324	5.29	163.49
9/32	.2812	08306	0.63	23.58	7/8	.8750	08326	6.13	189.18
5/16	.3125	08308	0.78	26.09	15/16	.9375	08328	7.04	217.23
3/8	.3750	08310	1.13	36.95	1	1.0000	08330	8.01	244.68
7/16	.4375	08312	1.53	50.09	1-1/8	1.1250	08332	10.14	309.52
1/2	.5000	08314	2.00	72.07	1-1/4	1.2500	08334	12.52	382.13
9/16	.5625	08316	2.53	79.05	1-3/8	1.3750	08336	15.14	462.43
5/8	.6250	08318	3.13	96.47	1-1/2	1.5000	08338	18.02	550.33

Doing Business the Deluxe Way!

Warranty - All Precision Marshall products are covered by the tool steel industry's only Quality Guarantee, where in the event of a claim all direct costs associated with the defect are reimbursed to the final customer. With this type of commitment in place, quality can never be taken for granted.

Raw Material Sourcing - Precision Marshall maintains long-term supply arrangements with the world's finest producing specialty mills. With the advantage of selecting from the strengths of a variety of producers, Precision Marshall is able to bring to the market a complete product line where every size and grade is "top of the line."

Unique Products - Precision Marshall is the only producer to offer Stainless Steel Ground Flat Stock (410, 420, and 440C) for the growing number of tooling applications that require stainless as well as H-13 in both GFS and Drill Rod (hardened). These high value materials offer distributor exceptional sales opportunities and end users the widest variety of choices available in today's market.

Satisfaction from Stock - "Backorder" is a dirty word at Precision Marshall. Sophisticated materials and production planning assure that a 98% in stock satisfaction rate is maintained over the Company's nearly 5,000 standard items. Our hustling associates assure that the rare stock out is resolved fast!

Right Now Shipping - Our systems are designed to ship standard products from our inventory immediately. Over 98% of our orders are filled the same day. Lead times are essentially transportation time. We know that "speed sells."

Order Desk Decision Making - Precision Marshall inside sales associates are trained and empowered to make critical business decisions in real time. No waiting on "the boss" to get out of a meeting. Our inside sales associates know the "real boss" is their customer and they act like it!

Problem Solving (Recovery) - Sometimes transactions don't go as planned. When this happens Precision Marshall associates go into "overdrive" to make certain that things get corrected to the benefit of our customers ... fast! No "policy statements" standing in the way. Every transaction ends as a winner.

Custom Requirements - When something out of the ordinary is needed, Precision Marshall can deliver. Skilled production associates rise to the occasion to create "just what the doctor ordered" when it comes to odd sizes, unique tolerances, and/or types of material not listed as "standards." Short lead times and exact quantities are not a problem. Precision Marshall is a complete source for Deluxe Tool Steel and Alloy Plate, Ground Flat Stock, Drill Rod and High Speed Specialty Products.

Notes

The Precision-Marshall Guarantee of Quality

Precision-Marshall's conformance to specifications is the highest in the industry. Precision-Marshall assumes complete liability for any costs directly relating to a deviation from our published specifications. Any such costs, properly documented, will be reimbursed.

Other Products Available from Precision-Marshall Steel Company...

Deluxe Tool Steel & Alloy Plates:

- Presco O-1
- Air-true A-2
- Diecrat A-6
- Aristocrat D-2
- Firechrome H-13
- Super-7 MQ®
- Marshalloy MQ/FM®
- Marshalloy MASTD

Tool Bits

- M-2
- M-3
- M-34
- M-43 (M-42)
- T-15 Powder

Hardened & Ground Rounds

- M-2
- A-2
- M-43

Visit our website at :

www.pmsteel.com



The Deluxe Company

800-258-2558



Plant	National Distribution Center	Regional Warehouses		
Precision -Marshall Steel Company	Precision -Marshall Steel Company	Clark & Associates	Precision -Marshall Steel Company	C.R. Kinsman & Associates, Inc
99 Berry Road Washington, PA 15301	1 Northpoint Court Bolingbrook, IL 60440	13606 Pumice Street Santa Fe Springs, CA 90670	392 Ledyard Street Hartford, CT 06114	1110 Pamela Drive Euless, TX 76040
724-222-2100 800-537-7528 FAX 724-225-1868	800-258-2558 630-759-5500 FAX 888-258-5312	800-424-0474 562-483-5325 FAX 562-483-5349	860-296-7606 FAX 860-296-7718	800-772-7810 817-540-0225 FAX 800-772-7854
www.pmsteel.com	E-MAIL sales@pmsteel.com	E-MAIL infor@teamclark.com www.teamclark.com	E-MAIL sales@pmsteel.com	E-MAIL sales@crkinsman.com www.crkinsman.com